

making your

countertop

more profitable



expand your menu widen your margins make more money

Nemco innovates countertop foodservice equipment solutions that bring your signature menu ideas to life, maximize your operation efficiency and boost your sales and profits!

You'll find more than 100 examples right here in this catalog. But if you're still looking for something else, call us. Our engineers thrive on new challenges.

800.782.6761 nemcofoodequip.com



Food Preparation Equipment
Easy Slicer™ Vegetable Slicer
Easy Tomato Slicer II™7
Easy Tomato Slicer™
Easy Scooper™7
Easy Chopper II [™]
Easy Chopper™9
Spiral Fry [™] Potato Cutter11
PowerKut Food Cutter11
Easy FryKutter™13
Monster FryKutter™13
Monster Airmatic FryKutter™
Easy LettuceKutter™15
Easy Onion Slicer II™15
Easy Wedger [™] & Easy Apple Corer [™]
Easy Dicer Two-Way Vegetable Cutter17
Easy Flowering Onion™ Cutter
Green Onion Slicer Plus
Easy Cheeser™21
Easy Cheese Blocker™21
CanPRO® Compact Can Opener
Easy Chicken Slicer™23
Easy Grill Scraper™
ShrimpPro 2000® Power Shrimp Cutter & Deveiner™ 25
ShrimpPrep® RC-2001 Shrimp Cutter & Deveiner™
ProShucker® Power Shell Separator™25
Easy Juicer™27
Easy Pineapple Corer & Peeler27
Butter Spreader
Facy Tuna Proce™ 27

Hot Dog Equipment	
Roller Grills3	
Roller Grill Divider Kits	
Slanted Roller Grills3	
Tongs with Holder3	
Hot Dog Steamers3	
Digital Roller Grills	
Roller Grills with Digital Temperature Readout	
Mini Cart3	
Moist Heat Bun & Food Warmers	
Bun & Food Warmers	
Stainless Steel Bun Boxes	
Self-Serve and Sneeze Guards	
Roller Grill Accessories	
Rethermalization Drawers	
Condiment Bars & Stations	59
Accessory Dispensers	
Hot Dog Accessories	12
Condiment Dispensing Accessories4	
Cup Dispensing Accessories4	
Coffee Accessories4	
Food Warming Equipment	
Freestanding & Suspended Infrared Bulb Warmers 4	
Carving Station Bulb Warmers	
Infrared Strip Heaters	
Remote Control Boxes5	
Countertop Warmers5	
Super Shot Countertop Steamer	
Countertop Cookers & Warmers	
Fresh-O-Matic by Nemco	
Mini Steam Table	
Hot Plates5	5
Food Merchandising Equipment	
Open-View Merchandisers	59
Pizza Merchandisers	
Pretzel Merchandisers6	
Grab 'n Go Merchandiser	3
Heated Snack Merchandiser6	3
Countertop Humidified Merchandiser6	3
Shelf Merchandisers	
Heat Shelves	67
Heated Display Cases	8
Popcorn Poppers6	8
Soup Merchandisers6	9
Conveyor Toasters	
Conveyor Toasters7	′3
Waffle & Cone Bakers	
Waffle Bakers	76
Belgian Waffle Bakers	
Cone Bakers	
Batter Dispenser	
lce Cream Spade Wells	
Countertop Ovens & Boiling Units	
Countertop Warming & Baking Oven	30
Countertop Ovens	
Countertop Pizza Ovens	
Countertop Boiling Unit8	31

FOOD PREP

Where it all begins. In your kitchen. In Nemco's timeline of innovation.

From the Spiral Fry™ in 1981 to the next original food favorite of tomorrow, Nemco is your leading source for fresh, countertop food-prep ideas that:

Save incredible amounts of labor / Virtually eliminate food waste / Achieve impeccable portion control / Yield with remarkable consistency.





Easy Slicer™ Vegetable Slicer

Easy Slicer is the one slicer you need to make fast, easy work of most fruits and vegetables. Unique, adjustable, stainless-steel blade provides a full range of slicing options, from 1/16-inch to 1/2-inch in thickness, for extra versatility and convenience. Simply turn the thumbscrew control to lock in your setting on the easy-to-read calibrated gauge. Use with Nemco mounting base (sold separately) for a secure workstation, plus easy removal for cleaning and storage. Fixed blade units also available. Optional shredding plates fit all units.

Model #	Description	Replacement Blades
55200AN	Adjustable Cut	55135 (set of 2)
55200AN-4	1/8" Fixed Cut	55135 (set of 2)
55200AN-6	3/16" Fixed Cut	55135 (set of 2)
55200AN-8	1/4" Fixed Cut	55135 (set of 2)
55200AN-1	3/16" Shredder	55178
55200AN-2	5/16" Shredder	55179

Optional Accessories

Model # Description
55257 Sharpening Stone
55263-1 3/16" Shredding Plates
55263-2 5/16" Shredding Plates
55816 Portable Base



Loading the Easy Slicer is a cinch. Just place your produce in the trough behind the blade, close the cover plate and go.



The sharpness and ease of rotation of the blade makes slicing a breeze, for super-fast, precisely consistent yield.

suggested uses

The perfect answer for uniform slicing of fresh vegetables and fruits for salad bars, sandwiches, pizza toppings and more.



Optional Shredding Plates—Shredding plates attach to the Easy Slicer in seconds for quick, easy shredding of cabbage, cheese, carrots, potatoes and other fruits and vegetables. Or choose the Easy Shredder, our shredding-only model.



Portable Cutting Board Base—Maximize your counterspace with Nemco's portable, food-prep base, equipped with a mounting bracket that fits the Easy Slicer and a number of other Nemco food-prep products. The suction-cup feet provide incredible stability without damaging your countertop, and the entire unit is dishwasher safe.








easy tomato slicer II






Innovation being the hallmark of Nemco, even the most popular food equipment is never immune to design improvements. Nemco's Easy Tomato Slicer™ has been a breakthrough in fast, uniform tomato slicing, and has become a mainstay in commercial kitchens everywhere.

However, Nemco saw a need in the market for a simpler model that could deliver the same slicing precision, but with a faster, easier method for changing the blades—particularly in the hands of younger, less experienced employees.

The result? Nemco's next generation, Easy Tomato Slicer II™. And now, with a new, factory-pretensioned cartridge blade set, the II is winning over as many fans as its predecessor.





Easy Tomato Slicer II™

Compact, efficient, easy to use and even easier to maintain, the new Easy Tomato Slicer II with its pretensioned cartridge blade assembly is more convenient than ever. The newly designed blade set stays properly aligned and tightened without the need to adjust it. The Easy Tomato Slicer II has an ergonomic handle, hand guards, self-lubricating track, rubber feet and a table stop like its predecessor, the Easy Tomato Slicer, a staple in foodservice kitchens. Accommodates a larger tomato than the original Easy Tomato Slicer. Scalloped blade options available.

Model #	Description	Replacement Blades
56600-1	³/16" Slice	566-1 (set of 14)
56600-2	1/4" Slice	566-2 (set of 11)
56600-3	3/8" Slice	566-3 (set of 7)

Note: See price list for scalloped blade ordering information.

suggested uses

This is a must-have if you like to keep fresh tomatoes on hand for your burgers, sandwiches, salads, salad bars and condiment trays. It's great for slicing strawberries and mushrooms too.



Blade Assemblies

Easy Tomato Slicer™

Save time, labor and valuable work space with the original Easy Tomato Slicer—still an immensely popular item for its incredibly compact design that is even shorter and narrower than the II model. Its unique self-lubricating track material alleviates misalignment problems that can cause nicks and broken blades. Vertical handle and protective guards improve user comfort and safety. Cleans up quickly and easily. Scalloped blade options available.

Model #	Description	Replacement Blades
55600-1	³/16" Slice	466-1 (set of 13)
55600-2	¹/₄" Slice	466-2 (set of 10)
55600-3	³/8" Slice	466-3 (set of 7)
55600-7	⁷ / ₃₂ " Slice	466-7 (set of 11)
55874-2	Easy Scooper™ Stem Remover, 2-pack	_

Note: See price list for scalloped blade ordering information.



Easy Scooper™—The essential tomato-prep tool. Removes stems with just one motion!






Because Big-Time Chopping Is Not a Game

Foodservice operators have often tried to get more cutting versatility out of their choppers. But many devices have not been able to stand up to the commercial kitchen environment to begin with. So, as the industry began trending toward cutting even larger vegetables and fruits, the writing was on the wall.

Nemco stepped forward and beefed up its famous-and extremely durable—Easy Chopper™ into a heftier II model.

Then, Nemco designed it to also double as a slicer (and triple as a wedger), giving high-volume kitchens the cutting versatility they wanted, plus the size and strength to make short work of the colossal veggies and fruits, without the tedious two-step of precutting.

Oh, yeah. And Nemco also threw in a wider, taller, open-leg base that could accommodate a 2-quart container positioned directly underneath the blades . . . just to make the staff even more efficient.



Easy Chopper II™

Get the speed, efficiency and convenience of the Easy Chopper™ in a mightier model with a 4¹/₄″-square cutting area, designed specifically for your BIG veggies! Now you can save labor by minimizing the need to precut foods into smaller portions. But don't let the name fool you. This versatile tool chops, slices AND wedges! And, like the original version, it still features the weighted ergonomic handle. Plus, the slicing blades are factory pretensioned to remain properly aligned and tightened with no need for adjustment.

Model #	Description	Blade/Holder Assembly	Replacement Blades
56500-1	1/4"-Sq. Cut	56424-1	536-1 (set of 26)
56500-2	3/8"-Sq. Cut	56424-2	536-2 (set of 18)
56500-3	1/2"-Sq. Cut	56424-3	536-3 (set of 12)
56500-4	1"-Sq. Cut	56424-4	536-4 (set of 8)
56500-5	1/4"-Thick Slice	56424-5	_
56500-6	3/8"-Thick Slice	56424-6	_
56500-7	1/2"-Thick Slice	56424-7	_

Optional Accessories

Model # Description

56727-6W 6-Section Wedger Kit 56727-8W 8-Section Wedger Kit

Easy Chopper™

Easy Chopper is the original, most effective answer for fast, easy, efficient chopping. Comfortable, weighted handle does most of the work for you to cut cleanly in one stroke. Super-sharp, stainless-steel, interchangeable cutting grids let you perform six operations, including wedging. Plus, the compact 31/2"-square cutting area maximizes counterspace.

Model #	Description	Blade /Holder Assembly	Replacement Blades
55500-1	1/4" Cut	55424-1	436-1 (set of 22)
55500-2	3/8" Cut	55424-2	436-2 (set of 16)
55500-3	1/2" Cut	55424-3	436-3 (set of 10)
55500-4	1" Cut	55424-4	436-4 (set of 4)

Optional Accessories

Model #	Description
55727-4	4-Section Wedger Kit
55727-6	6-Section Wedger Kit
55727-8	8-Section Wedger Kit

suggested uses

For salsa, pizza toppings, drink garnishes and more. Chops, slices and dices onions, tomatoes, potatoes, celery, peppers and other firm veggies. Great for wedging citrus and other fruits too, when using the wedger kit.



Pretensioned Slicing Blade Assemblies




Chopping/Wedging Blade Assemblies

suggested uses

Use for fast, easy chopping, cutting and dicing of onions, tomatoes, potatoes, celery, peppers and other firm vegetables. Great for wedging citrus and other fruits, using the wedger kit.



Blade Assemblies



11



NEW! Both the Spiral Fry and PowerKut produce all these varieties, including the newly popular Chip Twister!

Spiral Fry™ Potato Cutter

Easily turns potatoes into money! Simply load up to a 70-ct. potato, and turn the easy-action drive screw. No peeling is required, and it easily releases for fast reloading. Mounts securely on any flat surface for left- or right-handed operation. Removes easily for quick cleanup. Fine Cut Garnish Cutter makes attractive vegetable garnishes quickly and easily. The Ribbon Fry Cutter makes a great side for sandwiches.

Model # 55050AN	Description Spiral Fry	Replacement Blades 55002 Separating Blade 55003 Shearing Blade
55017	Front Plate Assembly	3
55050AN-R 55876	Ribbon Fry Front Plate Assembly	55492 Shearing Blade
55050AN-G	Fine Cut Garnish	55492 Shearing Blade 55702 Separating Blade
55711	Front Plate Assembly	
55050AN-WR 55876-WR	Wavy Ribbon Fry Front Plate Assembly	55492-WR Shearing Blade
55050AN-CT 55876-CT	Chip Twister Fry (Straight) Front Plate Assembly	55492-CT Shearing Blade
55050AN-WCT 55876-WCT	Chip Twister Fry (Wavy) Front Plate Assembly	55492-WCT Shearing Blade

suggested uses

Hot, crispy spiral, ribbon, wavy or chip twister fries make a savory, healthful, high-value presentation that customers love. Spiral Fry affords you the highest profit on every serving, and pays for itself in no time. It's perfect for creating signature-item appetizers, and is a great choice for the bar and lounge too.







Chip Twister Fry



PowerKut Food Cutter

For mounds and mounds of today's most appetizing fries and garnishes, ask for the PowerKut Spiral Fry™, Ribbon Fry™, Wavy Fry™, Chip Twister Fry or Fine Cut Garnish Cutter. Each cuts with the innovation of the original Spiral Fry, but much faster and easier—going through an entire potato in as little as two seconds. Operation is simple—load, apply steady, even pressure and move the carriage forward. Wipes clean. Holds a 60-ct. potato.

•	,	·
Model #	Description	Replacement Blades
55150B-C 55707-1-C	Spiral Fry Table Mount Spiral Fry Face Plate	55002 Separating Blade 55003 Shearing Blade
55150B-R 55707-1-R	Ribbon Fry Table Mount Ribbon Fry Face Plate	55492 Shearing Blade
55150B-G 55707-1-G	Fine Cut Garnish Table Mount Garnish Cut Face Plate	55492 Shearing Blade 55702 Blade
55150B-WR 55707-1-WR	Wavy Ribbon Fry Table Mount Wavy Ribbon Fry Face Plate	55492-WR Shearing Blade
55150B-CT (Straight) 55707-1-CT (Straight)	Chip Twister Fry Table Mount Chip Twister Fry Face Plate	55492-CT Shearing Blade
55150B-WCT (Wavy) 55707-1-WCT (Wavy) 55816-2	Chip Twister Fry Table Mount Chip Twister Fry Face Plate Portable Base	55492-WCT Shearing Blade

220 Volt and 230 Volt CE models are also available. Call for details.

Note: Blade assemblies are interchangeable and available separately. See price list for model numbers. Replacement blades fit both models.







Easy FryKutter™

Easy FryKutter uses an exclusive short throw handle and superior engineering to improve leverage for smooth, easy cutting or wedging in just one stroke. Works with natural body motion to eliminate awkward stretching and reduce operator fatigue. Built to last under the toughest day-to-day conditions. Slide-in, slide-out wall bracket fits the same mounting holes as most other machines.

Model #	Description	Blade/Holder Assembly	Replacement Blades
55450-1	1/4" Cut	55424-1	436-1 (set of 22)
55450-2	3/8" Cut	55424-2	436-2 (set of 16)
55450-3	¹ / ₂ " Cut	55424-3	436-3 (set of 10)
55450-4	4-Section Wedge	_	428-4
55450-6	6-Section Wedge	_	428-6
55450-8	8-Section Wedge	_	428-8

Optional Accessories

Model #	Description
55641	Wall Bracket
55727-4	4-Section Wedger Kit
55727-6	6-Section Wedger Kit
55727-8	8-Section Wedger Kit



suggested uses

Cut potatoes for French fries and cut carrots and celery sticks. Chop onions, peppers, carrots and tomatoes. Wedge tomatoes for salads and potatoes for steak fries using the wedger kit. Great for wedging fruits too!



Blade Assemblies

Monster FryKutter™

Introducing the first potato-cutting tool that just eats up the massive "monster" potatoes, delivering a big 1/4", 3/8" or 1/2" square cut. The special blade assembly does all the work to minimize operator fatigue and maximize productivity, so you can make more money on the big monster appetite of your customers.

Model #	Description	Blade/ Holder Assembly	Replacement Blades
56450A-1	Stainless Blade Assembly Cuts 1/4" Sq. Cut	56424A-1MK	536-1
56450A-2	Stainless Blade Assembly Cuts 3/8" Sq. Cut	56424A-2MK	536-2
56450A-3	Stainless Blade Assembly Cuts 1/2" Sq. Cut	56424A-3MK	536-3

suggested uses

Put this beast to work if you want to maximize the profit potential on your orders for French fries or steak fries. It's also very useful for cutting other large, firm vegetables, including colossal onions, celery, bell peppers and more.



Monster Airmatic FryKutter™

Never let a wave of hungry customers down. When the popularity of French fries meets your busiest rush times, get more orders out and make more money with Nemco's Monster Airmatic FryKutter. Comes in 1/4", 3/8" or 1/2" cut sizes. Slicing blade assemblies are also available in 1/4", 3/8" or 1/2"

Model #	Description	Blade /Holder Assembly	Replacement Blades
56455-1	1/4" Sq. Cut	56424-1T	536-1T
56455-2		56424-2	536-2
56455-3	3/8" Sq. Cut	56424-2	536-2
	1/2" Sq. Cut	56424-3	536-3

suggested uses

It is a must-have for very high-volume fast-food and grab-and-go-style restaurants. Use this workhorse for French fries and steak fries, as well as various cuts of other vegetables, including onions, celery, bell peppers, tomatoes and more.







easy lettucekutter





Who Says You Can't Be All Things . . . ?

Make no mistake, if you're in foodservice, your bottom line can use the cost-cutting efficiency of Nemco's Easy LettuceKutter™.

It was originally designed for cutting iceberg lettuce in a high-volume, quick-service-type establishment. But then along came a restaurant looking to do the same with romaine for its popular Caesar salads . . .

And another wanting a square cut, perfect for its chop salads . . .

And another thinking it would be great to cut grilled chicken, right after cutting its lettuce . . .

And still others that have used it for slicing melon . . .

How 'bout you? Have any ideas? Nemco's always up for designing another blade set—or some other innovation entirely.



Easy LettuceKutter™

Cut mounds of crisp, fresh lettuce in seconds—and keep it fresh for hours, with a cut so incredibly clean, it prevents browning at the leaf edges. Process a whole head of cored lettuce at a time. Scalloped blades and a clean, slicing-action cut with no crushing and no bruising. Interlocked blades avoid flexing and require no tensioning. Plus, cleanup is easy.

Model #	Description	Blade Assembly	Replacement Blades
55650	1"x 1" Square	55485	55470
55650-1	1/2" Slices	55495	_
55650-2	For Romaine 1"x 2"	55485-2	55470-2BR
55650-3	1/2"x 1/2" Square	55924	55923
55650-CS	3/8" Slices	55882	_
55650-6	3/4"x 3/4" Square	55485-6	55470-6

Optional Accessories

Model # Description

55491 Easy LettuceKutter Support Board w/Opening

suggested uses

Ideal for chopping iceberg and other lettuces, as well as slicing melons for fruit trays. Also slices lettuce for tacos and sandwiches. 55650-CS can be used to slice cooked chicken for wraps and salads.



Blade Assemblies



Support Board w/Opening

NSF polyethylene board fits securely over 20- and 32-gallon lettuce-keeper containers. Also holds other lettuce-cutting machines.

Easy Onion Slicer II™

Takes EASY to a whole new level . . . because a NEW factory-pretensioned blade set NEVER, EVER, needs tightening! Even your most inexperienced employees can easily change the blades. Process up to a 4-inch diameter onion. But don't stop there. This remarkably versatile tool can make fast work of just about anything in the produce department!

,	, 0		
Model #	Description	Blade Assembly	
56750-1	3/16" Slicer	56539-1	The second second
56750-2	1/4" Slicer	56539-2	_//
56750-3	³/8" Slicer	56539-3	91
56750-4	1/2" Slicer	56539-4	

suggested uses

Ideal for onions, celery, potatoes, pickles, firm tomatoes, oranges, lemons and limes.



Blade Assemblies





Foodservice's Equivalent to the Paper Clip

They call it a staple item. A must-have. A no-brainer. And if you're serving schools, using the corer version is probably the only way you can get the students to eat their apples.

No matter how you slice it, it's one of your most inexpensive solutions for making your foodprep work a whole lot easier.

Granted, Nemco didn't develop the first wedger, or even master the first manual wedging-tool concept. But the way Nemco looks at it, if it's going to be a staple item, it should last a heck of a long time.

So, this one—simply called the Easy Wedger[™]—is built to operate more smoothly and more durably than any other.





Easy Wedger™ & Easy Apple Corer™

Save labor and cut perfect wedges every time. Easy Wedger cuts cleanly and precisely with stay-sharp stainless-steel blades that minimize bruising. Works so fast, you can cut to order for the freshest selections possible. Built for years of reliable performance. Eight-section Easy Apple Corer looks and functions just like the Wedger, but it includes a pin in the middle of the pusher to simultaneously core while wedging.

Model #	Description	Blade Assembly
55550-4	4-Section Wedge	428-4
55550-6	6-Section Wedge	428-6
55550-8	8-Section Wedge	428-8
55550-10	10-Section Wedge	428-10
55550-8C	8-Section Corer	490-8

suggested uses

Easy Wedger is ideal for beverage operations. Use it for fresh lemon, lime and orange garnishes. Works great at the salad bar too. Try it with tomatoes, pickles, potatoes, cucumbers and zucchini.



Eight-Section Easy Apple Corer – Cores and wedges at once—ideal for apples and pears.

Easy Dicer Two-Way Vegetable Cutter

In seconds, Easy Dicer provides uniform, precision dicing in one quick, easy operation. Cuts onions five times faster than by hand, up to 100 pounds in only 45 minutes. Unique two-way cutting action dices and slices at once, to minimize handling and provide cleaner cuts, producing crisper, juicier shapes. Consistent output increases yield and reduces food waste. Constructed of rugged cast aluminum, stainless steel and engineered plastics for years of dependable service. Holds onions up to 3½ inches in diameter.

Model #	Description	Blade Assembly
55100F	1/4" v 1/4" v 1/4" Cut	55022A

Additional Blade Assembly Options

Model # Description

55125 '/2" Grid Assembly
Cuts '/2" x '/2" x '/4" Cut

55065A '/8" Rotary Cutter Assemb

Note: To change cut size from base model 55100E, purchase additional blade assemblies from above.




suggested uses

Ideal for dicing onions, potatoes, celery, green-peppers and other toppings used for pizza, burgers, coney dogs, tacos, soups, stews, salads and more. For dicing firm tomatoes, use blade assembly 55125. Place cut side of tomato against blade.



Blade Assemblies



Crying All the Way to the Bank

Not long ago, a major national restaurant chain stumbled on an onion-appetizer idea that was as grand in presentation as it was in flavor. But the prep work was a bit much, and the kitchen couldn't stay on top of the tidal wave of orders.

Enter Nemco.

Now, the Easy Flowering Onion™ Cutter takes virtually all the labor out with one motion, transforming this trademark menu favorite into a much more cost-effective production and enabling the chain to turn a 700 percent profit.

Easy Flowering Onion™ Cutter

For the authentic cut that lets you serve today's most profitable, great-tasting appetizers—for a return of 700 percent or more! The Easy Flowering Onion Cutter produces these high-profit specialties fast and oh, so easy. Just one stroke turns a colossal onion into a colossal, flowering favorite. Then batter, bread and deep fry. Adapter base lets you use smaller onions as well. Sturdy, all-metal construction for long life.

Model #	Description	Blade Assembly
55700	Onion Cutter	55511
55526	Small Onion Adapter	Included with Model 55700
55513	Core Cutter, Large 23/4"	Included with Model 55700
55527	Core Cutter, Small 13/4"	Included with Model 55700

suggested uses

Create the perfect signature-item onion appetizer. Or dip the ends of a flowered raw onion in food coloring to create magnificent onion garnish. Use with colossal and smaller-sized onions.



Core Cutter—Remove onion core with the Core Cutter, and you create space to add a ramekin filled with delicious dipping sauce.

Green Onion Slicer Plus

For fast, fresh-sliced garnishes, salad toppings, appetizers, soup starters and more, choose the Green Onion Slicer Plus. It makes mounds of perfect slices in just one labor-saving stroke. Faster than knives or scissors. Razor-sharp blades are individually replaceable. Wall-mount design saves valuable counterspace.

Model #	Description	Replacement Blades
55250A	3/16" Cut	55225-6 (set of 6)

suggested uses

Slices green onions, mushrooms, peeled cucumbers, olives, bananas, green peppers, strawberries and other fruits and vegetables into perfect 3/16" slices.





easy cheese cutter



Cost Savings, Cubed

It might not be a complicated matter, but cutting a cheese block into smaller, bite-size pieces is an unavoidable, time-consuming chore nonetheless.

It only makes sense that Nemco would get involved.

Applying its engineering style for user-friendly operation and lasting durability, Nemco developed its Easy Cheeser™ to serve hotels, caterers, supermarket delis and other foodservice operations with a three-sided concept for cost-cutting:

Speed that saves valuable labor.

Cutting consistency for optimum portion control.


And construction strength that maximizes lifetime value.





Easy Cheeser™

Save time and labor with Easy Cheeser cheese cutters. These rugged, all metal units cut uniform cubes, sticks, squares and rectangles of everybody's favorite cheeses, including mozzarella, Monterey Jack, cheddar, Muenster, Swiss, American and more. Slicing arms are interchangeable and easy to switch. Stainless-steel cutting wires are replaceable. Cubes a five-pound

cheese loaf in o	only 75 seconds.		
Model #	Description	Wire Kit	
55300A	3/4" Slicing Arm	55288	
55300A-1	3/8" Slicing Arm	55288	
55300A-2	$^{3}/_{4}$ " and $^{3}/_{8}$ " Arms	55288	N
55300A-516D	5/16" Slicing Arm	55288	









suggested uses

The Easy Cheeser is perfect for salad bars, deli trays, party packs, in-store sampling, hors d'oeuvres and specialty trays. Great for butter too! Makes individual pats and serving-size squares.



Will slice other cheeses, but frame is designed to cradle mozzarella and cutting wires are spaced specifically for 5/16" slices.

Easy Cheese Blocker™

Cut cheese blocks down to size in seconds for more manageable cubing, slicing and shredding. Sturdy, all stainless-steel construction and rigid cutting bow ensure straight, even cuts plus long life. Calibrated, notched, 1/2-inch cutting guide helps to improve consistency and reduce waste. Stainless-steel cutting wire is easily replaced. Process 40-pound cheese blocks, 35-pound cheese wheels or smaller.



suggested uses

Use with the Nemco Easy Cheeser cutter for a total cheese-prep center.









CanPRO® Compact Can Opener

Nemco's unique mechanical design thinks outside the can! Instead of cutting down vertically into the lid, the CanPRO Compact cuts horizontally into the rim for improved food safety, as well as operator safety. Cutting from the outside, the blade assembly crimps as it cuts, eliminating the sharp edge that can slice a hand or damage a spatula. Plus, it leaves no metal slivers that can fall into the food contents. Running the circumference of a #10-sized can just takes a few quick and easy turns of the crank. It's adjustable to all common can sizes and features a permanent mount with an optional temporary clamp, allowing you to move the opener around the kitchen. Security model option available.

Model #	Description	Replacement Cutter
56050-1	CanPRO Compact, Permanent Mount	56029
56050-2	CanPRO Compact, Temporary Mount	56029
56050-3	CanPRO Compact, Security Model	56029
56022A	Cutter Housing Assembly	_

suggested uses

The CanPRO Compact from Nemco easily fits #2-, #5- and #10-sized cans.



Easy Chicken Slicer™

Cut your labor, not your hands, with the new Easy Chicken Slicer. The ingeniously simple design features a unique assembly of unsharpened blades that make quick work of breaded, cooked chicken breast. Compared to the conventional knife-in-hand alternative, the Easy Chicken Slicer performs with superior speed, consistency and, above all, safety—with virtually no training required! Cleanup is a breeze. Sharpened blades are also available for cutting other foods. All blades come as factorypretensioned blade cartridges for super-fast and easy changeout.

•		, •
Model #	Description	Blade Assembly
55975	1/2" Slice	55868
55975-SC	1/2" Slice (Scalloped)	55868-SC
55975-1	3/8" Slice	55868-1
55975-1SC	3/8" Slice (Scalloped)	55868-1SC
55975-2	¹/4" Slice	55868-2
55975-2SC	1/4" Slice (Scalloped)	55868-2SC

suggested uses

If your operation is trying to maximize the exploding popularity of chicken salads and sandwich wraps, this is the tool you need. It quickly and easily cuts through chicken and turkey breasts.



easy grill scraper



Probably not literally. But the point is, it's a lot easier to enjoy the labor of love in the kitchen when it comes to preparing and cooking the food.

Cleaning up is another story. Especially when it comes to the kind of grueling elbow grease it takes to clear off the griddle.

That's why Nemco felt compelled to design the Easy Grill Scraper[™]—featuring an ergonomic handle that channels all the pressure into the blade.

That way, your staff can achieve the same desired results with much less effort, and get back to the more fun—and more productive—chores of preparing and cooking a whole lot faster.



Easy Grill Scraper™

Our unique scraper design has a special, ergonomic shape that puts more pressure on the blade for better results. Constructed of heavy-duty cast aluminum with a heat-treated spring steel blade. Replacement blades fit most other brands.

Model # Description Replacement Blades 55825 Grill Scraper 55607-6 (set of 6)

ShrimpPro 2000® Power Shrimp Cutter & Deveiner™

Keep pace with the demand of your hungriest shrimp lovers! In just one hour, the ShrimpPro instantly and consistently deveins, cuts, butterflies or splits up to 6,000 shrimp! Operators can hand-feed or attach the feeder tray for higher volumes. Either way, the ShrimpPro does all the work with virtually no risk of injury. Compact, portable design saves space and makes for easy storage. ShrimpPrep is specially designed to operate with your existing Robot Coupe™ food processor.

Model # Description Replacement Blades

55925 ShrimpPro® (2000) 55977 55950 ShrimpPrep® (RC-2001) 55977

Comes with feeder tray, S-M-L depth rollers, lubricant, and two 9¹/₁₆" blade wrenches.

Available also in 230 Volt CE model. Call for details.

Optional Accessories

Model # Description

56004 ShrimpPro® Feeder Tray
55991 ShrimpPrep® Feeder Tray

Robot Coupe™ is a trademark of Robot Coupe USA.

suggested uses

The ShrimpPro is the perfect answer for uniform deveining and butterflying shrimp for seafood bars and buffets, Asian stir-fry restaurants, caterers and other seafood specialty restaurants and retailers.

Low- to medium-volume seafood operators should opt for the ShrimpPrep.



ProShucker® Power Shell Separator™

The ProShucker quickly and cleanly opens up a dozen oysters a minute with virtually 0% risk and 100% yield. A dull threaded bit gently pries open the shell. Works fast, and evacuates all mud and shell fragments so you get maximum meat yield with minimum contamination. Best of all, the ProShucker is so easy to use, it requires almost no training!

Model #DescriptionReplacement Bit55900ProShucker® (PSS-100)55957 (set of 3)

Comes with foot pedal, 3 bits/augers and 2 bit replacement wrenches. Available also in 230 Volt model. Call for details. All 230v units are shipped without plug on cords.



suggested uses

Perfect for restaurants with oyster bars and seafood buffets, as well as catering operations and supermarkets.





The Need to **Outlast a Thirsty Public**

In a survival of the fittest environment like the foodservice industry, no one has the privilege of being able to afford downtime.

citrus juicer

For a particular specialty food chain, famous for its lemonade, a steady and thirsty crowd was a nice problem to have. But being at the mercy of its feeble juicer was not. So, the chain execs turned to Nemco.

To solve the problem, Nemco focused on the bearing shaft of the juicer's handle and, presto! . . . the Easy Juicer™ was born featuring a heat-treated stainless steel rack and pinion design that now puts the pressure on the fruit, not the franchise.



Easy Juicer™

Easy Juicer puts a 20:1 mechanical advantage in the palm of your hand. Specially designed ergonomic handle is easy to grip. Stainless-steel rack and pinion is supported between two self-lubricating bronze bearings. High-strength steel post adds rigidity. Aluminum and stainless-steel construction plus all stainless-steel fasteners for rugged performance and durability. Strainer cone and cup are removable.

Model # Description 55850 Citrus Juicer

Easy Pineapple Corer & Peeler

Take all the labor out of prepping a pineapple. Nemco's latest countertop innovation completely removes the core and peel with one simple pull of its easy-action, top-down lever. Saves time, effort and food waste. A locking mechanism keeps the handle and blade in the up position while loading a pineapple. Tough aluminum and stainless-steel construction and easy disassembly for cleaning extend the life of the unit for great return on investment.

Model # Description

55775 3.5" Pineapple Corer & Peeler 55775-1 4" Pineapple Corer & Peeler



suggested uses

Ideal for oranges, lemons and limes. Lets you quickly prepare the freshest possible lemonade, limeade, tropical drinks and other seasonal specialties.

Easy Tuna Press™



Removes excess water from canned tuna quickly and easily for better food quality. Sandwiches and salads stay fresh longer, retain a more appetizing appearance because extra water that causes soggy bread and lettuce is completely removed. Holds one 64-ounce foodservice-sized can.

Model # Description 55800 Tuna Press

Butter Spreader

This is the easiest and most efficient way to spread butter! Roller design promotes even, consistent application on all sorts of menu items, for economical portion control and best food flavor. Holds up to one pound of butter.

Model #	Description	Volts	Watts	Amps
8150-RS	Butter Spreader	_	_	_
8150-RS1	Butter Spreader, Heated	120	24	0.2

220 Volt model also available. Call for details.





roller grills Model 8027

Famous Old Dog. Exciting New Tricks.

In the tradition of allowing the market to influence design, when Nemco acquired the very first roller grill, the next immediate move was to find out how it could serve foodservice operators like you even better.

Now, along with its steadfast appeal as the true original of

its kind, the Nemco Roller Grill operates more quietly, sports a sharper front-of-the-house look, and features even heat distribution completely across every roller....
Oh, yeah, and it's built to last even longer than the decades-old original units still going strong today.



All Roller Grills available with NEW improved Gripslt™ rollers!

Roller Grills

Let profits roll! Grill hot dogs, egg rolls, taquitos and more. The 360° roller rotation prevents residue buildup, while individual roller heating elements ensure heating consistency. Removable drip pan makes for easy cleaning. Inside, new grease seal feature prevents grease buildup inside the bearing. Electric power requires no ventilation system and infinite heat settings offer convenient temperature control. For optimum roller performance capability, look for Gripslt models that include nonstick properties with grip- and abrasion-resistant additive.

Model # 8010	Description Holds 10 Hot Dogs, Chrome	Size (W x D x H) 16" x 11" x 7'/4"	Volts 120	Watts	Amps 2.8	No. of Rollers	No. of Cords 1/5-15P	No. of 5" Franks Per Hour 10–200
8010SX	Holds 10 Hot Dogs, w/Gripslt *	16" x 11" x 7 ¹ / ₄ "	120	330	2.8	6	1 / 5-15P	10-200
8018	Holds 18 Hot Dogs, Chrome	18 ¹ / ₂ " x 16 ¹ / ₄ " x 7"	120	950	7.9	10	1 / 5-15P	18–360
8018SX	Holds 18 Hot Dogs, w/GripsIt *	18 ¹ / ₂ " x 16 ¹ / ₄ " x 7"	120	950	7.9	10	1 / 5-15P	18–360
8027	Holds 27 Hot Dogs, Chrome	$22^{1}/_{4}$ " x $16^{1}/_{4}$ " x 7"	120	950	7.9	10	1 / 5-15P	27-540
8027SX	Holds 27 Hot Dogs, w/GripsIt *	22 ¹ / ₄ " x 16 ¹ / ₄ " x 7"	120	950	7.9	10	1 / 5-15P	27–540
8036	Holds 36 Hot Dogs, Chrome	29 ¹ / ₂ " x 16 ¹ / ₄ " x 7"	120	1500	12.5	10	1 / 5-15P	36-720
8036SX	Holds 36 Hot Dogs, w/GripsIt *	29 ¹ / ₂ " x 16 ¹ / ₄ " x 7"	120	1500	12.5	10	1 / 5-15P	36–720
8045W	Wide, Holds 45 Hot Dogs, Chrome	35 ¹ / ₂ " x 16 ¹ / ₄ " x 7"	120	1800	15.0	10	1 / 5-15P	45–900
8045SXW	Wide, Holds 45 Hot Dogs, w/GripsIt *	35 ¹ / ₂ " x 16 ¹ / ₄ " x 7"	120	1800	15.0	10	1 / 5-15P	45–900
8045N	Narrow, Holds 45 Hot Dogs, Chrome	22 ¹ / ₄ " x 25 ³ / ₄ " x 7"	120	1520	12.7	16	1 / 5-15P	45–900
8045SXN	Narrow, Holds 45 Hot Dogs, w/GripsIt *	22 ¹ / ₄ " x 25 ³ / ₄ " x 7"	120	1520	12.7	16	1 / 5-15P	45–900
8075	Holds 75 Hot Dogs, Chrome	35 ¹ / ₂ " x 25 ³ / ₄ " x 7"	120	2880	24.0	16	2 / 5-15P	75–1500
8075SX	Holds 75 Hot Dogs, w/GripsIt *	35 ¹ / ₂ " x 25 ³ / ₄ " x 7"	120	2880	24.0	16	2 / 5-15P	75–1500



Model 8010

220 Volt and 230 Volt CE models are also available. Call for details. *See description of GripsIt on pg. 33.

Roller Grill Divider Kits

Divider kits are available for most Nemco Roller Grills. 80440 kits include convenient self-serve tongs, tong holder and control cover. (See photo on pg. 34.)

Model #	Description
80435-27	Fits 8027 Series Roller Grills
80435-36	Fits 8036 Series Roller Grills
80435-45N	Fits 8045N Series Roller Grills
80435-45W	Fits 8045W Series Roller Grills
80435-75	Fits 8075 Series Roller Grills
80440-30	Fits 8230 Series Roller Grills
80440-50	Fits 8250 Series Roller Grills

Note: For divider kits that fit Slanted Roller Grills, specify the kit's model number above with an SLT suffix. Example: For Slanted Roller Grill model #8027-SLT, order divider kit #80435-27-SLT.



slanted roller grills



Model 8045SXW-SLT.
Tongs and tong holder sold
separately

Seeing Is Believing

It wasn't long after entering the hot dog roller-grill market that Nemco's instinct for engaging its customers led to new design ideas.

In this case, the partnership grew primarily with those in the convenience-store segment, where operators were looking for food equipment that offered more than trouble-free, quality cooking performance. They needed equipment that could help them sell more food in a self-serve model.

Among other ideas, Nemco developed its slanted roller grill that offered a double-whammy of merchandising punch. First, the attractive aroma creates the interest. Then, the high visibility, courtesy of the stair-step rollers, closes the impulse sale.

Slanted Roller Grills

A special tiered roller design adds an effective merchandising edge, because it brings the deliciously tempting grilled hot dogs into better view for your customers. For a high-capacity slanted grill option—without a major investment upgrade—take a look at Nemco's NEW models 8033 and 8055. And, for optimum roller performance, consider Nemco's Gripslt models, featuring a proprietary roller coating that grips and turns better than chrome, but cleans

up just as	easily!							IVO. OT
Model #	Description	Size (WxDxH)	Volts	Watts	Amps	No. of Rollers	No. of Cords	5" Franks Per Hour
8027-SLT	Slanted, Holds 27 Hot Dogs, Chrome	22 ¹ / ₄ " x 16 ¹ / ₄ " x 10 ¹ / ₄ "	120	950	7.9	10	1 / 5-15P	27-540
8027SX-SLT	Slanted, Holds 27 Hot Dogs, w/Gripslt	22 ¹ / ₄ " x 16 ¹ / ₄ " x 10 ¹ / ₄ "	120	950	7.9	10	1 / 5-15P	27-540
8033SX-SLT	Slanted, Holds 33 Hot Dogs, w/Gripslt	23 ³ / ₄ " x 20 ¹ / ₈ " x 10 ³ / ₈ "	120	1200	10.0	12	1 / 5-15P	33-660
8036-SLT	Slanted, Holds 36 Hot Dogs, Chrome	29 ¹ / ₂ " x 16 ¹ / ₄ " x 10 ¹ / ₄ "	120	1500	12.5	10	1 / 5-15P	36-720
8036SX-SLT	Slanted, Holds 36 Hot Dogs, w/Gripslt	29 ¹ / ₂ " x 16 ¹ / ₄ " x 10 ¹ / ₄ "	120	1500	12.5	10	1 / 5-15P	36-720
8045W-SLT	Wide, Slanted, Holds 45 Hot Dogs, Chrome	35 ¹ / ₂ " x 16 ¹ / ₄ " x 10 ¹ / ₄ "	120	1800	15.0	10	1 / 5-15P	45-900
8045SXW-SLT	T Wide, Slanted, Holds 45 Hot Dogs, w/Gripslt	35 ¹ / ₂ " x 16 ¹ / ₄ " x 10 ¹ / ₄ "	120	1800	15.0	10	1 / 5-15P	45-900
8055SX-SLT	Slanted, Holds 55 Hot Dogs, w/Gripslt	35 ³ / ₄ " x 20/ ₈ " x 10 ³ / ₈ "	120	1560	13.0	12	1 / 5-15P	55-1100

220 Volt and 230 Volt CE models are also available. Call for details.

Tongs With Holder

Like losing the remote for the TV, no one likes it when the roller-grill tongs go missing Consider the problem solved with this convenient add-on tong-holder combo. Fits any grill model and features a super-elastic cord that allows for easy use without risk that the tongs walk away.

Model # Description 80650 Tong Holder w/Tongs

Hot Dog Steamers

You can't beat the moneymaking magic of a classic ballpark hot dog. Nemco's countertop hot dog steamer cooks 'em up plump and juicy, and adds merchandising appeal to attract hungry customers. Smart design uses steam to keep buns on the upper bun rack moist and fresh. User-friendly features minimize the need for operator attention. Best of all, hot dogs can be ready to serve in as few as 10 minutes!

Model #	Description	Size (WxDxH)	Volts	Watts	Amps
8300	Hot Dog Steamer Capacity: 7 ¹ / ₂ qt. Water Re 150 Hot Dogs, 30 Buns, Lo	eservoir	120 cator Li	800 ght	6.7
8301	Hot Dog Steamer Capacity: 7 ¹ / ₂ qt. Water Re 150 Hot Dogs, 30 Buns, No			800 or Light	6.7

220 Volt and 230 Volt CE models are also available. Call for details.

NEW Improved! GripsIt Rollers!

Only from Nemco

Sell more taquitos, pancake rollups and other specialty roller-grilled foods with Nemco's proprietary Gripslt™ roller coating—available on all Roller Grill models. Gripslt combines a subtle friction characteristic with a smooth surface finish, optimizing cooking rotation without giving up the important food-safety cleanability of conventional chrome rollers.

suggested uses

Perfect for convenience stores and concession areas short on space. Also great for informal catering events, bars, pool halls, bowling alleys and other public gathering places.





33

digital roller grills



Model 8250SX-SLT (shown with food dividers, which are available for all grills-see pg. 31)

Word came down from several high-volume Nemco c-store customers. To make their lives easier and their businesses more efficient, they put a new challenge on the table:

"Our traffic is heavy and in a hurry, and our employees are super busy. Can you take the already easy-to-use Roller Grill and make it so it requires even less operator attention?" It was your classic case of a nice problem to have. But that didn't stop Nemco from solving it by introducing new design ideas, such as programmable "set it and forget it" digital controls, and dividers that keep the food aligned on the rollers for better merchandising appeal.



Digital Roller Grills

Nemco's latest grill model is ideal for high-volume, self-serve establishments, where employees have little time to monitor the unit. New digital controls allow operators to place the food on the rollers, hit a button and walk away. The preprogramming then automatically sequences through the preheat, cook and hold settings to achieve a perfectly grilled product completely without supervision. For optimum roller performance capability, look for Gripslt models that include nonstick properties with grip- and abrasion-resistant additive.

Madal #	Description	Cine (My Dy II)	Valta	Matta	A	No. of		6" Franks
Model #	Description	Size (WxDxH)	VOILS	vvalls	Amps	Rollers	Coras	Per Hour
8230-SLT	Roller Grill,							
	30 Hot Dogs, Chrome	23 ³ / ₄ " x 18 ⁵ / ₈ " x 10 ¹ / ₄ "	120	1100	9.2	11	1/5-15P	30-600
8230SX-SLT	Roller Grill,							
	30 Hot Dogs, GripsIt	$23^{3}/_{4}$ " x $18^{5}/_{8}$ " x $10^{1}/_{4}$ "	120	1100	9.2	11	1/5-15P	30-600
8250-SLT	Roller Grill,							
	50 Hot Dogs, Chrome	$35^3/4$ " x $18^5/8$ " x $10^1/4$ "	120	1430	11.9	11	1/5-15P	50-1,000
8250SX-SLT	Roller Grill,							
	50 Hot Dogs Grinslt	$35^3/4'' \times 18^5/8'' \times 10^1/4''$	120	1430	11 9	11	1/5-15P	50-1 000

Roller Grills with Digital Temperature Readout

A new twist on Nemco's original roller grill—A digital temperature readout with a mechanical temperature control. For optimum roller performance capability, look for Gripslt models that include nonstick properties with grip- and abrasion-resistant additive. No. of


Model #	Description	Size (WxDxH)	Volts	Watts	Amps	No. of Rollers	No. of Cords	6" Franks Per Hour
8050SX-RC	Roller Grill, 50 Hot Dogs, GripsIt	35 ³ / ₄ " x 18 ⁹ / ₁₆ " x 12 ¹ / ₄ "	120	1430	12.0	11	1/5-15P	50-1000
8050SX-SLT-RC	Roller Grill, Slanted 50 Hot Dogs, GripsIt	35 ³ / ₄ " x 18 ⁹ / ₁₆ " x 13 ³ / ₄ "	120	1430	12.0	11	1/5-15P	50-1,000
8075SXW-RC	Roller Grill, 75 Hot Dogs, GripsIt	35 ³ / ₄ " x 26 ³ / ₁₆ " x 12 ¹ / ₄ "	120	1920	16.0	16	1/5-20P	75-1500
8075SXW-SLT-RC	Roller Grill, Slanted 75 Hot Dogs, GripsIt	35 ³ / ₄ " x 26 ³ / ₁₆ " x 13 ³ / ₄ "	120	1920	16.0	16	1/5-20P	75-1500

Mini Cart

Cash in on a real fan favorite with the fun and character of these mini hot-dog cart merchandisers that fit right on your countertop or bar. Fully adjustable heating controls let you easily set and monitor temperatures. Inserts and accessories allow you to adapt to changing menu items. Standard models steam and hold as many hot dogs as a New York City streetcart!

Model #	Description	Size $(W \times D \times H)$	Volts	Watts	Amps
6550-DW	Mini Cart, Blue	23 ⁷ /8" x 14 ⁵ /8" x 10 ¹ /2"*	120	1500	12.5

^{*}Height with umbrella is 461/2". Please specify pan configuration option number below when ordering. Additional pan configurations available. Call for details.











Model 8050SX-RC

bun warmers & bun boxes



A Hot Dog With Your Name on It

Right along with the c-stores, operations like the concessionaires also survive on merchandisingnot to mention the fact that, as in the major sports venues or

As a result, Nemco's full line of Roller Grills includes accessories and complete hot-dog stations, all available with an endless number of custom-merchandising graphics options.

Model 8045W-SBB

37



Moist Heat Bun & Food Warmers

Moist heat keeps buns and other foods warm, fresh and ready to serve. Stainless-steel construction adds durability and makes cleaning easy. Stackable design saves space. A variety of sizes ensures you'll find one to perfectly fit your operation.

Model #	Description	Size (WxDxH)	Volts	Watts	Amps	Bun Capacity
8018-BW	Bun & Food Warmer	$18^{1}/_{2}$ " x $17^{1}/_{2}$ " x $10^{5}/_{8}$ "	120	400	3.3	24
8027-BW	Bun & Food Warmer	23" x 17 ¹ / ₂ " x 10 ⁵ / ₈ "	120	450	3.8	32
8033-BW	Bun & Food Warmer	23 ⁷ /8" x 22 ³ /16" x 10 ⁵ /8"	120	450	3.8	32
8036-BW	Bun & Food Warmer	30" x 17 ¹ / ₂ " x 10 ⁵ / ₈ "	120	550	4.6	48
8045N-BW	Bun & Food Warmer	23" x 26 ³ / ₄ " x 10 ⁵ / ₈ "	120	450	3.8	32
8045W-BW	Bun & Food Warmer	$35^{1}/_{2}$ " x $17^{1}/_{2}$ " x $10^{5}/_{8}$ "	120	650	5.4	64
8055-BW	Bun & Food Warmer	$35^{1}/_{2}$ " x $22^{3}/_{16}$ " x $10^{5}/_{8}$ "	120	650	5.4	64
8075-BW	Bun & Food Warmer	$35^{1}/2$ " x 25" x $10^{5}/8$ "	120	650	5.4	64

220 Volt and 230 Volt CE models are also available. Call for details.

Bun & Food Warmers

Whether you need capacity for two- or four-dozen buns, these durable, stainless-steel, single-drawer warmers without a water reservoir will keep the buns and other foods fresh and ready to serve. Their space-saving, stackable design makes for an easy fit most anywhere. 8024-BW has a stainless-steel, flip-down door.

Model #	Description	Size (WxDxH)	Volts	Watts	Amps	Bun Capacity
8024-BW	Bun & Food Warmer No Moist Heat	15³/4" x 11" x 5"	120	20	0.17	24
8048-BW	Bun & Food Warmer No Moist Heat	22" x 15 ¹ / ₄ " x 7 ¹ / ₂ "	120	108	0.9	48

220 Volt models are also available. Call for details.

Stainless Steel Bun Boxes

Each of these commercial-grade boxes provides a durable, stackable storage unit that keeps your hot-dog buns fresh. Available in a variety of sizes.

Model #	Description	Size (WxDxH)	Bun Capacity
8018-SBB	Bun Box, Stainless Steel w/Door, Fits 8018 Series	18 ³ / ₄ "x 19"x 6 ¹ / ₄ "	36
8027-SBB	Bun Box, Stainless Steel w/Door, Fits 8027 Series	22¹/4"x 19"x 6¹/4"	36
8033-SBB	Bun Box, Stainless Steel w/Door, Fits 8033 Series	24 ¹ / ₄ "x 22 ¹ / ₄ "x 6 ¹ / ₂ "	36
8036-SBB	Bun Box, Stainless Steel w/Door, Fits 8036 Series	29 ⁵ /8"x 19"x 6 ¹ / ₄ "	48
8045N-SBB	Bun Box, Stainless Steel w/Door, Fits 8045N Series	22 ¹ / ₄ "x 28 ¹ / ₄ "x 6 ¹ / ₄ "	64
8045W-SBB	Bun Box, Stainless Steel w/Door, Fits 8045W Series	35 ¹ / ₂ "x 19"x 6 ¹ / ₄ "	60
8055-SBB	Bun Box, Stainless Steel w/Door, Fits 8055 Series	36"x 22 ¹ / ₄ "x 6 ¹ / ₂ "	60
8075-SBB	Bun Box, Stainless Steel w/Door, Fits 8075 Series	35 ¹ / ₂ "x 28 ¹ / ₄ "x 6 ¹ / ₄ "	96
8230-SBB	Bun Box, Stainless Steel w/Door, Fits 8230 Series	23 ³ / ₄ "x 21 ¹ / ₄ "x 6 ¹ / ₄ "	36
8250-SBB	Bun Box, Stainless Steel w/Door, Fits 8250 Series	35 ³ / ₄ "x 21 ¹ / ₄ "x 6 ¹ / ₄ "	60



roller grill accessories



Model 8250-CGD

Self-Serve Guards

Polycarbonate guards (available for every grill model except the 8010 Series) offer all the advantages of the standard guards, but with a higher-impact resistance and heat resistance for exceptional durability in the busiest environments. For added convenience, operators can temporarily rest buns and such on the flat top. The guard sits firmly on top of the grill, yet is easily removed for cleaning.

Model #	Description		Size (WxDxH)	Fits Roller Grill
8010-SSG-DT	Self-Serve Acrylic Guard, Dome To	р	16 ³ / ₈ "x 10 ¹ / ₄ "x 7"	8010 Series
8018GD	Self-Serve Guard With Door		19"x 171/4"x 9"	8018 Series
8027GD	Self-Serve Guard With Door		223/4"x 171/4"x 9"	8027 Series
8033GD	Self-Serve Guard With Door		24 ³ / ₈ "x 20 ¹ / ₈ "x 8 ³ / ₈ "	8033 Series
8036GD	Self-Serve Guard With Door		30"x 171/4"x 9"	8036 Series
8045NGD	Self-Serve Guard With Door		223/4"x 263/4"x 9"	8045N Series
8045WGD	Self-Serve Guard With Door		36"x 171/4"x 9"	8045W Series
8055GD	Self-Serve Guard With Door		36 ³ / ₈ "x 20 ¹ / ₈ "x 8 ³ / ₈ "	8055 Series
8075GD	Self-Serve Guard With Door		36"x 263/4"x 9"	8075 Series
8230GD	Self-Serve Guard With Door		24 ³ / ₁₆ "x 19 ³ / ₄ "x 9"	8230 Series
8250GD	Self-Serve Guard With Door		36 ³ / ₁₆ "x 19 ³ / ₄ "x 9"	8250 Series
8230DGD	Guard Pass Through		24 ³ / ₁₆ "x 19 ³ / ₄ "x 9"	8230 Series
8250DGD	Guard Pass Through		36 ³ / ₁₆ "x 19 ³ / ₄ "x 9"	8250 Series

Canopy Sneeze Guards

Keep your Roller Grill covered with the added convenience of these pass-through canopy guards. The open design, with no doors, makes it easy to load the grill from the operator side, while still allowing access to the food from the customer side.

Model #	Description	Size $(W \times D \times H)$	Fits Roller Grill
8018-CGD	Canopy Sneeze Guard	19" x 17 ¹ / ₂ "x 8 ³ / ₄ "	8018 Series
8027-CGD	Canopy Sneeze Guard	22 ³ / ₄ "x 17 ¹ / ₂ "x 8 ³ / ₄ "	8027 Series
8036-CGD	Canopy Sneeze Guard	30" x 17 ¹ / ₂ "x 8 ³ / ₄ "	8036 Series
8045N-CGD	Canopy Sneeze Guard	22 ³ / ₄ "x 27" x 8 ³ / ₄ "	8045N Series
8045W-CGD	Canopy Sneeze Guard	36" x 17 ¹ / ₂ "x 8 ³ / ₄ "	8045W Series
8075-CGD	Canopy Sneeze Guard	36" x 27" x 8 ³ / ₄ "	8075 Series
8230-CGD	Canopy Sneeze Guard	24 ¹ / ₄ "x 19 ⁷ / ₈ "x 8 ³ / ₄ "	8230 Series
8250-CGD	Canopy Sneeze Guard	36 ¹ / ₄ "x 19 ⁷ / ₈ "x 8 ³ / ₄ "	8250 Series

Roller Grill Accessories

Read across from the model number of the grill you choose to identify the model numbers of its accessories.

Grill Series #	Bun Warmers (Stainless Steel)	Divider Kits	Bun Boxes	Self-Serve Guards	Canopy Guards
8010	8024-BW		8018-SBB	8010-SSG-DT*	_
8018	8018-BW	_	8018-SBB	8018GD	8018-CGD
8027	8027-BW, 8048-BW	80435-27	8027-SBB	8027GD	8027-CGD
8033	8033-BW	_	8033-SBB	8033GD	_
8036	8036-BW	80435-36	8036-SBB	8036GD	8036-CGD
8045N	8045N-BW	80435-45N	8045N-SBB	8045NGD	8045N-CGD
8045VV	8045W-BW	80435-45W	8045W-SBB	8045WGD	8045W-CGD
8055	8055-BW	_	8055-SBB	8055GD	_
8075	8075-BW	80435-75	8075-SBB	8075GD	8075-CGD
8230		80440-30	8230-SBB	8230GD, 8230DGD	8230-CGD
8250	_	80440-50	8250-SBB	8250GD, 8250DGD	8250-CGD





(shown with 8027SX-SLT)

Rethermalization Drawers

Keep up with demand in those pressure-cooker, high-volume traffic situations that send your Roller Grill into hyperdrive. Place this smart, compact retherm drawer right under your grill, so you can heat your roller-grill items for immediate sale and take away the "grill in process" tags. Two adjustable bimetallic thermostats and a 0-60 minute timer work together to create an automatic cook-and-hold cycle. Stainless-steel construction and easy-cleaning features promote service life. Roller Grill must have 4" legs for the retherm drawer to fit under grill. Consult factory for leg and set part number.


^{*} Drawer alone does not fully cook hot dogs. For precook only, prior to grilling.


Model#	Description	Size (W x D x H)	Volts	Watts	Amps	Fits Roller Grill Series
8430	Retherm. Drawer	17 ¹ / ₂ " x 18" x 4 ¹ / ₂ "	120	225	1.9	8027 & 8230
8436	Retherm. Drawer	24 ³ / ₄ " x 18" x 4 ¹ / ₂ "	120	370	3.1	8036
8450	Retherm. Drawer	30 ³ / ₄ " x 18" x 4 ¹ / ₂ "	120	490	4.1	8045W & 8250
8475	Retherm. Drawer	30 ³ / ₄ " x 21 ³ / ₄ " x 4 ¹ / ₂ "	120	650	5.4	8075




Condiment Bars & Stations

Give 'em the works without making more work for yourself. Cap off your hot-dog serving area with one of these neat, efficient, no-waste condiment stations. Stainless-steel construction effectively retains the temperature of the ice pack. Pumps provide dispensing with minimal effort.






^{*}Includes two ice packs







When it comes to making a real impression, the key is to address every last detail—which is why the complete
Nemco product line rounds out with a selection of convenient accessory dispensers.

Compact and easily accessible, durable and décor-neutral, every item serves that last remaining detail known as the customer touch point so critical to your brand and your bottom line.



accessory dispensers

Hot Dog Accessories

Everything the mobile hot-dog lover needs to set the table, so to speak, is contained in one convenient place with these compact holders. Tongs, napkins and the option of paper boats or sleeves are all handy for anyone on the go.

Model #	Description	Size (DxWxH)
88500-CO3	Hot Dog Tong & Boat Organizer	7 ¹ / ₄ " x 8 ¹ / ₄ " x 9"
88500-CO4	Hot Dog Tong & Boat Organizer, w/Napkin	14 ¹ / ₄ " x 9" x 14 ¹ / ₂ "









Condiment Dispensing Accessories

Keep plenty of condiments on hand and easily accessible with these durable condiment organizers and dispenser holders. The large organizer features a tray for fresh salsa, cheese, peppers and more, with a clear plastic flip cover that maintains freshness and display appeal. The bottle holders feature a wide base for optimum stability—especially useful when using the dispenser pumps.

Model #	Description	Size (DxWxH)
88500-CO2	Ketchup, Mustard Condiment Organizer	11 ¹ / ₄ " x 15" x 2 ¹ / ₂ "
88500-CO5	Hot Dog Condiment Organizer, w/Fresh Tray	20 ⁵ / ₈ " x 18" x 24"
88500-CO6	Sauce Organizer, 3- 20 oz. Bottles	3 ³ / ₄ " x 13 ¹ / ₈ " x 2 ³ / ₄ "





Model 88500-C06





Model 88400-CDH

Cup Dispensing Accessories

Nemco offers a range of convenient cup dispensers to fit virtually any counterspace—even under the counter. Durable synthetic material stands up to busy self-serve stations. Their black color fits any interior design.

Model #	Description	Size (DxWxH)
88400-CD*	Cup Dispenser	7 ⁵ / ₈ " dia x 23 ¹ / ₂ "
88400-CDV	Cup Dispenser, Vertical	25" x 5 ¹ / ₂ " x 11"
88400-CDH**	Cup Dispenser, Horizontal	23 ¹ / ₄ " x 14" x 25 ³ / ₄ "
88400-CDA***	Cup Dispenser, Angled	18" x 6 ¹ / ₂ " x 25"

^{*} Comes standard with a #4 gasket. **Comes standard with #2, 3 and 4 gaskets.

Gaskets: fo 88400-CD and 88400-CDH

Guorroto. 10 00 100 OB unu 00 100 OB11				
	Model #	Description	Cup Diameter	Ounces
	88400-G1	1 Hole	31/4"	12-16
	88400-G2	2 Holes	3 ³ / ₈ "x 3 ⁵ / ₈ "	20-24
	88400-G3	3 Holes	35/8"x 33/4"	24-32
	88400-G4	4 Holes	3 ⁷ / ₈ "x 4 ¹ / ₈ "	32-44
	88400-G5	5 Holes	4 ³ / ₁₆ "x 4 ³ / ₄ "	44-64
	0 1 4 6	20422 204		

Gaskets: fo 88400-CDA

88400-SG1	1 Hole		31/4"	12-16
88400-SG2	2 Holes		3 ³ / ₈ "x 3 ⁵ / ₈ "	20-24
88400-SG3	3 Holes	l form	35/8"x 33/4"	24-32
88400-SG4	4 Holes		3 ⁷ /8"x 4 ¹ /8"	32-44
88400-SG5	5 Holes	1/2	4 ³ / ₁₆ "x 4 ³ / ₄ "	44-64



Model 88400-CD



Coffee Accessories

Keep every shade of coffee drinker satisfied with this durable organizer that holds a wide variety of creamers, sweeteners and more. A graphic header adds merchandising appeal.

Model # Description Size (D)	xWxH)
------------------------------	-------


88500-CO1 Coffee Condiment Organizer 12" x 163/8" x 26" (19"H w/o header)



Model 88400-CDA

^{***}Comes standard with #2 and 3 gaskets.





On the countertop or suspended above it, in the front or back of the house, no matter the décor nor the demand,

Nemco has a commercial food-warming equipment solution that fits your needs and maximizes your return.

Model 6000A-1A Model 6000A-2 w/ 66091, 66089 bulb warmer suggested uses Keep plated foods at proper serving temperatures, including pies, breads, and other baked goods. Also great for hot appetizers and side dishes, such as chicken fingers, French fries, poppers and fried shrimp. Model 6004-4 For permanent serving lines in Model 6008-4 cafeterias and other institutional settings.

warmers bulb warmers

Freestanding and Suspended Infrared Bulb Warmers

Hold baked, fried, steamed or broiled foods at ready-to-eat temperatures and still keep the food's appetizing appearance over time. Attractive, timeless reflector-hood design fits every interior. Custom configurations available with different bulbs (see optional accessories below) and colored reflector hoods (see color swatches in the margin).

Model #	Description	Volts	Watts
6000A-1	Single Bulb, Adjustable Height	120	250
6000A-1A	Single Bulb, Adjustable Height, Compact	120	250
6000A-2	Two Bulb, Adjustable Height, Grey	120	500
6000A-2B	Two Bulb, Adjustable Height, Black	120	500
6000A-2C	Two Bulb, Adjustable Height, Chrome	120	500
6000A-2TP	Two Bulb Heat Lamp w/Pan & Screen Set	120	500
6000A-3	Three Bulb, Adjustable Height	120	750
220 Volt mod	lels also available. Call for details.		

Clamp-On Units

6004-1	Single Bulb, Clamp	120	250
6004-2	Two Bulb, Clamp	120	500
6004-4	Single Bulb, Adjustable Gooseneck, Grey	120	250
6004-4C	Single Bulb, Adjust Gooseneck, Chrome	120	250

Counter Units

6008-2	Two Bulb Counter Unit	120	500
6008-3	Three Bulb Counter Unit	120	750
6008-4	Four Bulb Counter Unit	120	1000
6008-5	Five Bulb Counter Unit	120	1250
6008-6	Six Bulb Counter Unit	120	1500
6008-7	Seven Bulb Counter Unit	120	1750
6008-8	Eight Bulb Counter Unit	120	2000
6009-2	Two Bulb Counter Unit, w/Tray	120	500
6009-3	Three Bulb Counter Unit, w/Tray	120	750
6009-4	Four Bulb Counter Unit, w/Tray	120	1000
6009-5	Five Bulb Counter Unit, w/Tray	120	1250
6009-6	Six Bulb Counter Unit, w/Tray	120	1500

Ceiling-Mount Models 6002 Single Bulb, Six-Foot Cord

6003

chrome

Suspension Bar, Chain-Hung Models			
6006-2	Two Bulb, Single Row	120	500
6006-3	Three Bulb, Single Row	120	750
6006-4	Four Bulb, Single Row	120	1000
6006-5	Five Bulb, Single Row	120	1250
6006-6	Six Bulb, Single Row	120	1500
6006-7	Seven Bulb, Single Row	120	1750
6006-8	Eight Bulb, Single Row	120	2000

120

250

250

Bulb Warmer Optional Accessories

Model #	Description
66089	Pan and Screen Set, 12"x 20"
66091	Tray for 6000A-1 & 2
66103	Case of 12, 250-Watt Bulbs (White)
66104	Case of 12, 250-Watt Bulbs (Red)
66118	Case of 12, 250-Watt Bulbs (White, Shatter-Resistant)

Single Bulb, Four-Foot Tube

Model 6002





Carving Station Bulb Warmers

Combines a 250-watt infrared bulb with a convenient, NSF high-density polyethylene cutting board. Wooden carving board also available. Adjustable, 30-inch-high, flexible gooseneck. Cutting board detaches for easy cleanup.

Model #	Description	Volts	Watts
6015	Single Bulb, Polyethylene Base, Grey	120	250
6015-DP	Single Bulb, Polyethylene Base w/Deeper Groove on Base,		
	Heat Lamp Centered	120	250
6016	Single Bulb, Wood Base, Grey	120	250
6016-C	Single Bulb, Wood Base, Chrome	120	250

suggested uses

The perfect choice for serving moist, juicy slices of roast beef, prime rib, turkey, ham, leg of lamb and other large cuts at buffets and server stations.



warmers strip heaters

Infrared Strip Heaters



As more operators continue to buy Nemco strip heaters, word is getting out that they perform as well as, if not better than, anything else on the market. And, now, the Nemco line is as expansive as any other too!—boasting more model and feature options than ever, including units with single- or dual-bulb warming, complementary incandescent showcase lighting, remote-control, cord-and-plug power and more. All hold foods at optimum serving temperature without drying or overcooking to ensure better-tasting foods and better-looking presentations. Hanging, base-mounted and pass-through designs fit most locations, as well as permanent and temporary requirements. Durable aluminum shell for easy cleanup. Available with infinite temperature control for varying low-, medium- and high-heat settings.

,	3		
Model #	Description	Volts	Watts
6150-24	24" Strip Heater, Single	120	500
6150-24-208	24" Strip Heater, Single	208	500
6150-24-240	24" Strip Heater, Single	240	500
6150-36	36" Strip Heater, Single	120	850
6150-36-208	36" Strip Heater, Single	208	850
6150-36-240	36" Strip Heater, Single	240	850
6150-48	48" Strip Heater, Single	120	1100
6150-48-208	48" Strip Heater, Single	208	1100
6150-48-240	48" Strip Heater, Single	240	1100
6150-60	60" Strip Heater, Single	120	1400
6150-60-208	60" Strip Heater, Single	208	1400
6150-60-240	60" Strip Heater, Single	240	1400
6150-72	72" Strip Heater, Single	120	1725
6150-72-208	72" Strip Heater, Single	208	1725
6150-72-240	72" Strip Heater, Single	240	1725
Single, Cord & I	Plug Models		
6150-24-CP	24" Strip Heater, w/Cord & Plug	120	500
6150-36-CP	36" Strip Heater, w/Cord & Plug	120	850
6150-48-CP	48" Strip Heater, w/Cord & Plug	120	1100
6150-60-CP	60" Strip Heater, w/Cord & Plug	120	1400
6150-72-CP	72" Strip Heater, w/Cord & Plug	120	1725
Dual Models			
6150-24-D	24" Strip Heater, Dual	120	1000
6150-24-D-208	24" Strip Heater, Dual	208	1000
6150-24-D-240	24" Strip Heater, Dual	240	1000
6150-36-D	36" Strip Heater, Dual	120	1700
6150-36-D-208	36" Strip Heater, Dual	208	1700
6150-36-D-240	36" Strip Heater, Dual	240	1700
6150-48-D-208	48" Strip Heater, Dual	208	2200
6150-48-D-240	48" Strip Heater, Dual	240	2200
6150-60-D-208	60" Strip Heater, Dual	208	2800
6150-60-D-240	60" Strip Heater, Dual	240	2800

72" Strip Heater, Dual

72" Strip Heater, Dual

208

240

3450

3450

6150-72-D-208

6150-72-D-240



suggested uses

Hold foods at proper temperatures until you are ready to serve. A favorite for French fries, rice dishes, baked potatoes, fried chicken, pizza and large pans of food. Also works well as a plate or cup warmer.



6151-72-CP

Infrared Strip Heaters . . . continued

	Infrared Strip	Heaters continued		
	Model #	Description	Volts	Watts
	Single Models w	vith Lights		
	6150-24-SL	24" Strip Heater, Single, w/Lights	120	580
	6150-24-SL-208	24" Strip Heater, Single, w/Lights	208	580
	6150-24-SL-240	24" Strip Heater, Single, w/Lights	240	580
	6150-36-SL	36" Strip Heater, Single, w/Lights	120	930
	6150-36-SL-208	36" Strip Heater, Single, w/Lights	208	930
	6150-36-SL-240	36" Strip Heater, Single, w/Lights	240	930
	6150-48-SL	48" Strip Heater, Single, w/Lights	120	1220
	6150-48-SL-208	48" Strip Heater, Single, w/Lights	208	1220
	6150-48-SL-240	48" Strip Heater, Single, w/Lights	240	1220
	6150-60-SL	60" Strip Heater, Single, w/Lights	120	1560
	6150-60-SL-208	60" Strip Heater, Single, w/Lights	208	1560
	6150-60-SL-240	60" Strip Heater, Single, w/Lights	240	1560
	6150-72-SL	72" Strip Heater, Single, w/Lights	120	1885
	6150-72-SL-208	72" Strip Heater, Single, w/Lights	208	1885
	6150-72-SL-240	72" Strip Heater, Single, w/Lights	240	1885
	D 188 11 2			
	Dual Models wit	•		
1	6150-24-DL	24" Strip Heater, Dual, w/Lights	120	1080
8	6150-24-DL-208	24" Strip Heater, Dual, w/Lights	208	1080
	6150-24-DL-240	24" Strip Heater, Dual, w/Lights	240	1080
	6150-36-DL	36" Strip Heater, Dual, w/Lights	120	1780
	6150-36-DL-208	36" Strip Heater, Dual, w/Lights	208	1780
	6150-36-DL-240	36" Strip Heater, Dual, w/Lights	240	1780
	6150-48-DL-208	48" Strip Heater, Dual, w/Lights	208	2320
	6150-48-DL-240	48" Strip Heater, Dual, w/Lights	240	2320
	6150-60-DL-208	60" Strip Heater, Dual, w/Lights	208	2960
	6150-60-DL-240	60" Strip Heater, Dual, w/Lights	240	2960
	6150-72-DL-208	72" Strip Heater, Dual, w/Lights	208	3610
	6150-72-DL-240	72" Strip Heater, Dual, w/Lights	240	3610
	Single, Infinite-C	Control Models		
	6151-24	24" Infinite Control, Single	120	500
	6151-24-208	24" Infinite Control, Single	208	500
	6151-24-240	24" Infinite Control, Single	240	500
	6151-36	36" Infinite Control, Single	120	850
	6151-36-208	36" Infinite Control, Single	208	850
	6151-36-240	36" Infinite Control, Single	240	850
	6151-48	48" Infinite Control, Single	120	1100
	6151-48-208	48" Infinite Control, Single	208	1100
	6151-48-240	48" Infinite Control, Single	240	1100
	6151-60	60" Infinite Control, Single	120	1400
	6151-60-208	60" Infinite Control, Single	208	1400
	6151-60-240	60" Infinite Control, Single	240	1400
	6151-72	72" Infinite Control, Single	120	1725
	6151-72-208	72" Infinite Control, Single	208	1725
	6151-72-240	72" Infinite Control, Single	240	1725
	Single, Infinite-C	Control, Cord & Plug Models		
	6151-24-CP	24" Infinite Control, w/Cord & Plug	120	500
	6151-36-CP	36" Infinite Control, w/Cord & Plug	120	850
	6151-48-CP	48" Infinite Control, w/Cord & Plug	120	1100
	6151-60-CP	60" Infinite Control, w/Cord & Plug	120	1400
	6151_72_CP	72" Infinite Control w/Cord & Plug	120	1725

72" Infinite Control, w/Cord & Plug



1725

warmers strip heaters

Model #	Descri	ption		Volts	Watts
Dual , Infin	ite-Control N	/lodels			
6151-24-D	24" Infi	inite Control, Dua	l	120	1000
6151-24-D-20	08 24" Infi	inite Control, Dua	I	208	1000
6151-24-D-24	40 24" Infi	inite Control, Dua	I	240	1000
6151-36-D	36" Infi	inite Control, Dua	I	120	1700
6151-36-D-20	08 36" Infi	inite Control, Dua	I	208	1700
6151-36-D-24	40 36" Infi	inite Control, Dua	I	240	1700
6151-48-D-20	08 48" Infi	inite Control, Dua	I	208	2200
6151-48-D-24	40 48" Infi	inite Control, Dua	I	240	2200
6151-60-D-20	08 60" Infi	inite Control, Dua	I	208	2800
6151-60-D-24	40 60" Infi	inite Control, Dua	I	240	2800
6151-72-D-20	08 72" Infi	inite Control, Dua	I	208	3450
6151-72-D-24	40 72" Infi	inite Control, Dua	l	240	3450
Single Re	mote-Contro	l Models			



0 '			
6155-24	24" Remote, Single	120	500
6155-24-208	24" Remote, Single	208	500
6155-24-240	24" Remote, Single	240	500
6155-36	36" Remote, Single	120	850
6155-36-208	36" Remote, Single	208	850
6155-36-240	36" Remote, Single	240	850
6155-48	48" Remote, Single	120	1100
6155-48-208	48" Remote, Single	208	1100
6155-48-240	48" Remote, Single	240	1100
6155-60	60" Remote, Single	120	1400
6155-60-208	60" Remote, Single	208	1400
6155-60-240	60" Remote, Single	240	1400
6155-72	72" Remote, Single	120	1725
6155-72-208	72" Remote, Single	208	1725
6155-72-240	72" Remote, Single	240	1725
Dual, Rem	ote-Control Models		

Dual, Helliote-Go	IIII OI IVIOUGIS		
6155-24-D	24" Remote, Dual	120	1000
6155-24-D-208	24" Remote, Dual	208	1000
6155-24-D-240	24" Remote, Dual	240	1000
6155-36-D	36" Remote, Dual	120	1700
6155-36-D-208	36" Remote, Dual	208	1700
6155-36-D-240	36" Remote, Dual	240	1700
6155-48-D-208	48" Remote, Dual	208	2200
6155-48-D-240	48" Remote, Dual	240	2200
6155-60-D-208	60" Remote, Dual	208	2800
6155-60-D-240	60" Remote, Dual	240	2800
6155-72-D-208	72" Remote, Dual	208	3450
6155-72-D-240	72" Remote, Dual	240	3450









Infrared Strip Heaters . . . continued

minuted outif	ricators continued				
Model #	Description	Volts	Watts		
Single, Remote-Control Models with Lights					
6155-24-SL	24" Remote, Single, w/Lights	120	580		
6155-24-SL-208	24" Remote, Single, w/Lights	208	580		
6155-24-SL-240	24" Remote, Single, w/Lights	240	580		
6155-36-SL	36" Remote, Single, w/Lights	120	930		
6155-36-SL-208	36" Remote, Single, w/Lights	208	930		
6155-36-SL-240	36" Remote, Single, w/Lights	240	930		
6155-48-SL	48" Remote, Single, w/Lights	120	1220		
6155-48-SL-208	48" Remote, Single, w/Lights	208	1220		
6155-48-SL-240	48" Remote, Single, w/Lights	240	1220		
6155-60-SL	60" Remote, Single, w/Lights	120	1560		
6155-60-SL-208	60" Remote, Single, w/Lights	208	1560		
6155-60-SL-240	60" Remote, Single, w/Lights	240	1560		
6155-72-SL	72" Remote, Single, w/Lights	120	1885		
6155-72-SL-208	72" Remote, Single, w/Lights	208	1885		
6155-72-SL-240	72" Remote, Single, w/Lights	240	1885		
Dual, Remote-Co	ntrol Models with Lights				
6155-24-DL	24" Remote, Dual, w/Lights	120	1080		
6155-24-DL-208	24" Remote, Dual, w/Lights	208	1080		
6155-24-DL-240	24" Remote, Dual, w/Lights	240	1080		
6155-36-DL	36" Remote, Dual, w/Lights	120	1780		
6155-36-DL-208	36" Remote, Dual, w/Lights	208	1780		
6155-36-DL-240	36" Remote, Dual, w/Lights	240	1780		
6155-48-DL-208	48" Remote, Dual, w/Lights	208	2320		
6155-48-DL-240	48" Remote, Dual, w/Lights	240	2320		
6155-60-DL-208	60" Remote, Dual, w/Lights	208	2960		
6155-60-DL-240	60" Remote, Dual, w/Lights	240	2960		
6155-72-DL-208	72" Remote, Dual, w/Lights	208	3610		
6155-72-DL-240	72" Remote, Dual, w/Lights	240	3610		
Heater with Base	e Model				
6152-24	24" Steel Heater on Base	120	500		

Optional Accessories

Model #	Description
66089	Pan and Screen Set, 12"x 20"
66091	Tray for 6152-24
66099	Wire Lea Kit-Height 16"

Remote Control Boxes

Remotes available for single and dual units, and your choice of an on-off toggle switch or infinite temperature control.

Model #	Description	Volts
69007	1- On-Off Power Switch,	
	1- Pilot Light (indicates element on)	120
69008	1- On-Off Power Switch,	
	 Pilot Light (indicates element on) 	
	1- Infinite Control (adjustable temperature)	120
69007-2	2- On-Off Power Switches (elements),	
	1- On-Off Power Switch (lights),	
	2- Pilot Lights (indicates elements on)	120
69008-2	1- On-Off Power Switch,	
	2- Pilot Lights (indicates elements on),	
	2- Infinite Control (adjustable temperature)	120

warmers

countertop cookers & warmers

suggested uses

Ideal for serving vegetables, stir-fry, casseroles, lasagna and other items in buffet lines and catering applications. Accepts a 12" x 20" full-size pan or fractional-size pans.



Model 6055A-43

suggested uses

Primed for virtually any cold foods you want to zap into a hot, fresh, plate-ready state—instantly! Ideal for buns, rolls, breads and other baked goods, and just perfect for tortillas. Great for melting cheese or reheating precooked seafood, meats, pasta, fruits, veggies and more!



Countertop Warmers

Add side dishes and entrées to existing buffet lines or create entirely new temporary buffet lines quickly and easily with Nemco's full-size countertop warmers. You'll enjoy greater menu flexibility and the ability to respond efficiently to changing menu requirements. Plus the reliable adjustable thermostat helps ensure that food held in serving lines is always within your food-safety temperature guidelines. Unique heating-element design provides even heat distribution to prevent "hot spots." Heavy-duty stainless-steel well.

Model #	Description	Size (WxDxH)	Volts	Watts
6055A	Full Size Warmer	14 ⁵ /8" x 23 ⁷ /8" x 9"	120	1200
6055A-CW	Full Size Cooker & Warmer	$14^{5}/8$ " x $23^{7}/8$ " x $10^{1}/2$ "	120	1500
6055A-43	⁴/₃ Size Warmer	14 ⁵ /8" x 31" x 10 ¹ / ₂ "	120	1500

Optional Accessories

o pulous i	
Model#	Description
66092	Two-Hole Adapter Plates for One 7 Quart & One 11 Quart Inset (Fits 6055A)
66093	Two-Hole Adapter Plates for Two 7 Quart Insets
66095	20" Adapter Bar
66096	12" Adapter Bar
66097	6" Adapter Bar
67763	Two-Hole Adapter Plates for Two 11 Quart Insets (Fits 6055A-43)
67860	Three-Hole Adapter Plates for Three 4 Quart Insets (Fits 6055A)
68591	Three-Hole Adapter Plates for Three 7 Quart Insets (Fits 6055A-43)
68592	Four-Hole Adapter Plates for Four 4 Quart Insets (Fits 6055A-43)

All Nemco cooker/warmers are listed NSF/ANSI Standard 4, making them certified "rethermalization equipment." 230 Volt CE models are also available. Call for details.

Super Shot Countertop Steamer

This powerful little appliance could wind up being one of the most versatile tools in your entire kitchen. The Super Shot reheats foods and restores their fresh-made flavor in seconds! Make day-old breads, buns and baked goods taste like they just came from the oven. It's ridiculously easy to operate. Simply plug it into a standard outlet, fill the reservoir with tap water, then use the push-button to deliver a pulse of amazing steam. Made of commercial-grade stainless steel and cast aluminum.

Model # Description Size (WxDxH) Volts Watts Amps 6600 Super Shot Steamer 16¹/₂" x 17¹/₄" x 8¹/₄" 120 15.0

230 Volt models are also available. Call for details.





suggested uses

Attractive enough for serving lines, round warmers keep soups, gravies, BBQ sauce, hot dressings and dessert toppings warm and appetizing.

Great for the back bar too.







Countertop Cookers & Warmers

Designed for versatility in a wide range of sizes, Nemco countertop cookers and warmers add flexibility while helping you keep food within cooking and serving best practices. Unique heating element design provides even distribution to prevent "hot spots." Twin warmers have separate thermostats and balanced heat systems for maximum control and convenience. Stainless-steel construction—including new stainless-steel wells—ensures durability, prevents pitting and staining, and stands up to detergents, hard water and corrosion. See price list for export voltages. Models also available with inset, ladle and cover included.

Round Warmers

Mode	l #	Description	Size $(W \times D \times H)$	Volts	Watts
6100A		7 Quart	$11^{7}/8^{\prime\prime} x - x 9^{3}/4^{\prime\prime}$	120	550
6101A		11 Quart	13 ³ / ₄ " x - x 9 ³ / ₄ "	120	750
Roun	d Cod	oker Warmers			
6102A		7 Quart	$11^{7}/8^{\prime\prime} x - x 9^{3}/4^{\prime\prime}$	120	1050
6103A		11 Quart	13 ³ / ₄ " x - x 9 ³ / ₄ "	120	1250
Coun	terto	Warmers			
6110A		4 Quart, Single Well	$8^{7}/8^{\prime\prime} \times 8^{1}/4^{\prime\prime} \times 9^{7}/8^{\prime\prime}$	120	350
6120A		4 Quart, Twin Well	$18^{5}/8$ " x $10^{3}/8$ " x $9^{7}/8$ "	120	700
6120A	-CW	4 Quart Cooker/			
		Warmer, Twin Well	18 ⁵ /8" x 10 ³ /8" x 9 ⁷ /8"	120	1000

Optional Accessories

Model #	Description	Fits Models
66088-2	Inset, Cover and Ladle Set (4 quart)	6110A & 6120A
66088-8	Inset, Cover and Ladle Set (7 quart)	6100A & 6102A
66088-10	Inset, Cover and Ladle Set (11 quart)	6101A & 6103A

All Nemco cooker/warmers are listed NSF/ANSI Standard 4, making them certified "rethermalization equipment." 230 Volt CE models are also available. Call for details.

Fresh-O-Matic by Nemco

Instantly thermalize your precooked and frozen baked goods, meats, seafood, veggies, pasta and more with the reliable and super easy-to-use Fresh-O-Matic by Nemco. When it comes to food quality, you can't beat fresh-made. But with the Fresh-O-Matic, you can match it. That's because the Fresh-O-Matic uses super-hot steam—hotter than 212°F—to instantly return moist heat to cold, precooked foods!

Model #	Description	Size (WxDxH)	Volts	Watts	Amps
6625A	Fresh-O-Matic by Nemco	16 ¹ / ₂ " x 12" x 11 ⁵ / ₈ "	120	1500	12.5

suggested uses

The Fresh-O-Matic by Nemco can heat, refresh and serve hundreds of piping hot foods, from blueberry muffins, to beef stew, to Mexican burritos, to lobster dinners. You name it. If it's leftover or frozen, it can taste like it's freshly cooked once again.

warmers

mini steam table & hot plates



suggested uses


Use one Nemco Mini Steam Table in place of several individual units to keep soups, sauces, gravies, stews and other like foods at the perfect temperature. Adapter plates provide maximum versatility on serving lines, allowing complete meal presentations, such as ribs with dipping sauce, mashed potatoes and gravy, plus many other side dishes.

Mini Steam Table

Mix-and-match adapter plates allow for more than six configurations to meet almost any serving need. Extra deep wells hold the largest pots and pans. Temperature range of 100°F to 200°F. Stainless-steel construction ensures durability and resists pitting and staining. Features "power on" indicator lights and back-mounted, 6-foot cord.

Model # 6060A	Size (W x D x H) 27 ¹ / ₂ " x 24 ¹ / ₂ " x 12 ¹ / ₂ "	Volts 120	Watts 1800	Amps 15.0
Adapter P	lates and Optional Accessor	ies		
Model #	Description			
67339	Holds Two 12" x 20" Steam Tab	le Pans		
67409	Holds Four 71/4 Quart Round Ins	set Pans		
67410	Holds Two 11 Quart and Two 41	/ ₈ Quart Round	l Inset Pa	ns
67411	Holds One 12" x 20" Steam Tab Two 7 ¹ / ₄ Quart Round Inset Pan			
67412	Holds One 11 Quart Round Inse Round Inset Pans and One 41/8			
67413	Holds One 12" x 20" Steam Tab Two 4 ¹ / ₈ Quart Round Inset Pan			
66785	Set of Four Stainless Steel Leg	S		

Adapter Plates



Adapter plate dimensions

 $4^{1}/8$ " qt. = $6^{3}/8$ " dia. $7^{1}/4$ " qt. = $8^{1}/2$ " dia.

11" qt. = $10^{1/2}$ " dia.





Model 6310-1



Model 6310-2



Model 6310-3-240



Hot Plates

Solid-top, cast-iron French burners heat up quickly and evenly, with six heat settings that can take you from a simmer to a boil in minutes. Horizontal and vertical configurations with one-, two- and four-burner setups fit most spaces. Multiple burners offer heating versatility. Right burner on the horizontal is a 1500-watt cooker, while the 500-watt left burner is perfect for warming. Vertical units have the cooker in the front. All models equipped with adjustable feet for added convenience.


Single Burners

Siligle bur	Single burners					
Model #	Description	Size (WxDxH)	Volts	Watts	Amps	
6310-1	Single Burner	12" x 13 ¹ / ₂ " x 5 ¹ / ₈ "	120	1500	12.5	
6310-1-240	Single Burner	12" x 13 ¹ / ₂ " x 5 ¹ / ₈ "	240	2000	8.3	
Double Bu	rners					
6310-2	Horizontal					
	Double Burner	$24^{1}/8$ " x $13^{1}/2$ " x $5^{1}/8$ "	120	2000	16.7	
6310-2-240	Horizontal					
	Double Burner	24 ¹ / ₈ " x 13 ¹ / ₂ " x 5 ¹ / ₈ "	240	3000	12.5	
6310-3	Vertical					
	Double Burner	$12^{1}/8$ " x $25^{1}/2$ " x $5^{1}/8$ "	120	2000	16.7	
6310-3-240	Vertical					
	Double Burner	$12^{1}/8$ " x $25^{1}/2$ " x $5^{1}/8$ "	240	3000	12.5	
6311-1-240	Raised Vertical					
	Double Burner	$11^{3}/8$ " x $24^{1}/8$ " x $14^{1}/2$ "	240	3000	12.5	
Four Burners						
6311-2-240	Raised Four Burner	24" x 24 ¹ / ₈ " x 14 ¹ / ₂ "	240	7000	29.1	
	2 Front Burners			. 1.5kw		
	2 Back Burners			. 2.0kw		


suggested uses


A popular, versatile choice for serving lines, and tableside and demonstration cooking. Perfect for sautéed and panfried foods, such as omelets, crepes and stir-fry. Also ideal for cooking and holding soups, stews and sauces.












Models 6310-3-240, 6311-1-240 w/ 4" legs

240, Model 6310-2

Model 6310-2-240



Such is the beauty of food sales.

The profit power is built right in.

Nemco just plays matchmaker—with smart countertop food-merchandising equipment that preserves flavor and freshness, appeals to all those influential senses, and adds a point-of-

sale graphic kick that gets
your customers wanting
to buy and your cash
register ringing.



open-view

merchandisers



A Window Into Higher Food Sales

For all that operators love about the hallmark functionality, durability and investment return of Nemco equipment, when it comes to retail food sales, the bottom line begins and ends with the food—not the equipment.

Understanding this—and continuously engineering to it— is what makes Nemco different.

Out of this philosophy was born the Open-View Merchandiser, in which the design was less about what we can add and more about what we can take away.

So, the question is—Will missing front corner posts, a hidden control panel, a slimmer steel frame and sharper, brighter graphics boost sales and profits?

Well, seeing is believing.



Open-View Merchandisers

NEW!

Nemco's Open-View Merchandiser series is specially designed for a clean, sleek look that places every point of emphasis on the one feature that does all the selling—the sizzling product inside. Less is more with a design that includes high-quality tempered glass, "invisible" front corner posts, stylish backlit graphic headers on all three sides, and strategically placed interior lighting. The Open-View Merchandiser comes standard with both photographic and illustrative-style headers and other features, such as the chunkier brushed stainless-steel legs, that make it a real class act in retail food sales.

Model #	Description	Size (WxDxH)	Volts	Watts
6420	Pizza Display Case Rotating, 3-Tier, w/12" Rack	22"x 22"x 32 ⁵ /8"	120	1550
6421	Pizza Display Case			
	Rotating, 3-Tier, w/18" Rack	22"x 22"x 32 ⁵ /8"	120	1550
6422	Pizza Display Case			
	Rotating, 4-Tier, w/12" Rack	22"x 22"x 32 ⁵ /8"	120	1550
6423	Pretzel Display Case Revolving, 2-Tier,			
	8-Prong Rack	22"x 22"x 32 ⁵ /8"	120	1550
6424	Hot Foods Display Case, Angled, 3-Tier,			
	15" Sq. Shelves	22"x 22"x 32 ⁵ / ₈ "	120	1550
6425	Hot Foods Display Case, Angled, 3-Tier,			
	19" Sq. Shelves	22"x 22"x 32 ⁵ / ₈ "	120	1550

suggested uses

Nemco's countertop Open-View Merchandiser is a hot sales solution for convenient stores, concession stands, kiosks, clubhouses, snack shops and other high-traffic retail operations. Great for holding and showcasing prebaked pizza and pretzels, as well as pies and other baked goods.



Every nuance of the Open-View Merchandiser is designed to maintain a clean visual appeal, including the control panel, which nests inside a recessed compartment in the back and disappears behind a closeable door panel.







pizza merchandisers



It's All About Your Food. Period.

Sure, a lot of thinking is behind Nemco's full line of countertop food-merchandising equipment. But when staring at the drawing board, all the design team ever sees is food.

The result has been units that are never over-engineered. Rather,

you get simple solutions that feature the most user-friendly controls, the highest degree of visibility, the easiest to clean interiors and exteriors, and the longest-lasting performance.

No wonder so many consider Nemco "the best value in merchandising."



Pizza Merchandisers

Three- and four-tiered units are ideal for displaying multiple products at once, while holding them at controlled temperatures for better flavor and appearance. Contemporary signage and lighted interior enhance presentation. Stainless-steel, tempered-glass construction. Water reservoir keeps foods moist. Other rack styles available.

Model #	Description Rotating, 3-Tier	Size (WxDxH)	Volts	Watts
0430	Case w/12" Racks	18 ¹ / ₂ "x 18 ¹ / ₂ "x 33 ⁷ / ₈ "	120	1480
6450-4	Rotating, 4-Tier Case w/12" Racks	18 ¹ /2"x 18 ¹ /2"x 33 ⁷ /8"	120	1480
6451	Rotating, 3-Tier Case w/18" Racks	22 ¹ / ₄ "x 22 ¹ / ₄ "x 33 ⁷ / ₈ "	120	1480
6451-2	Rotating, 3-Tier, Self-Serve Case w/18" Racks	22¹/4″x 22¹/4″x 33³/8″	120	1480
6452	Rotating, 4-Tier Case w/18" Racks	22 ¹ / ₄ "x 22 ¹ / ₄ "x 33 ⁷ / ₈ "	120	1480
6452-2	Rotating, 4-Tier, Self-Serve Case w/18" Racks	22¹/4"x 22¹/4"x 33²/8"	120	1480
	vv/10 HdCKS	ZZ /4 X ZZ /4 X 33 /8	120	1400

Optional Accessories

Model # Description

66785 Set of Four 4" Stainless Steel, Adjustable Legs

Pretzel Merchandisers

Two-tiered racks hold dozens of fresh, toasty pretzels that look absolutely tempting under the overhead lights (model 6453). Contemporary and stylish merchandiser signage increases traffic and impulse sales! Brushed stainless steel and tempered glass add durability and make cleaning easy.

Model #	Description	Size (WxDxH)	Volts	Watts
6403	Revolving Pretzel Warmer	15 ¹ / ₈ "x 18 ¹ / ₈ "x 27 ¹ / ₄ "	120	290
6453	Revolving Pretzel Warmer	22 ¹ / ₄ "x 22 ¹ / ₄ "x 33 ⁷ / ₈ "	120	1480

Optional Accessories

Model # Description

66785 Set of Four 4" Stainless Steel Legs (for model 6453 only)



Model 6403 includes a shield over the light bulbs to protect them while loading and unloading pretzels. The removable door easily lifts off for cleaning.



suggested uses

Small enough for most operations. Use for whole pizza, individual slices and boxed slices for fast, easy sales.



suggested uses

Compact enough for theaters, convenience stores, concession stands and other high-traffic retail centers. Also great for bagels!



Model 6453 offers thermostatic control up to 200°F and incorporates a water reservoir to maintain humidity.



grab 'n go merchandiser

Equal-Opportunity Profit Machine

Just because you're short on space, doesn't mean you shouldn't be allowed to make more money.

While no one would argue that food merchandising is a great asset for increasing sales, they might say it's not possible to do it very effectively in the smaller foodservice establishments.

Well, Nemco says that's bunk, and developed the vertically gifted Grab 'n Go merchandiser, designed with a narrow face and deep profile that fits perfectly alongside the cash register on even the most crowded POS countertops.

Grab 'n Go Merchandiser

NEW!

"Compact" doesn't begin to describe the Grab 'n Go. This one-of-a-kind merchandiser is specially designed with a narrow, vertical frame that, just like a book on a bookshelf, slides right into place on even the most congested checkout counters. Clear paneling, interior lighting and heated, angled shelves with interchangeable magnetic graphics showcase the food beautifully. Polycarbonate materials, stainless-steel construction and a powder-coat finish add durability.

Model # Description Size (WxDxH) Volts Watts 6655 Heated Case $10^1/8^n \times 16^3/4^n \times 24^3/8^n$ 120 345

Heated Snack Merchandiser

Incredibly space-efficient, the Heated Snack Merchandiser has a compact footprint that will fit virtually anywhere on your counter. Features a stainless-steel frame and tempered glass, an impact-resistant polycarbonate door, and heating elements made of Incoloy® nickel-based metal for high-temperature corrosion resistance. Temperature control heats up to 190°F.

Model # Description Size (WxDxH) Volts Watts

6457 Heated Case w/Two Movable
Square Shelves, 13"x 10"/4" 14"x 14"x 22" 120 390

suggested uses

suggested uses

Heated shelves make this

a versatile little showcase

unit, perfect for sandwiches, cookies,

all sorts of other "on the go" favorites.

donuts, warm baked goods and

Ideal for all kinds of sandwiches, donuts, baked goods, concession-type snack items and other warm, fresh-made foods.



Countertop Humidified Merchandiser



Never let your profit potential dry up. Nemco's humidified merchandiser combines a high-visibility showcase solution—complete with clear, tempered-glass panels, interior lighting, angled shelves and graphics—with a water reservoir that keeps baked goods and other warm foods moist and fresh for extended periods of time. Stainless-steel and powder-coat construction add durability, while manual temperature and humidity controls add versatility.

 Model #
 Description
 Size (WxDxH)
 Volts
 Watts

 6475
 Heated Case
 20"x 17"x 26"
 120
 826



suggested uses

This compact unit is perfect for c-stores, snack shops and a host of other retail applications. Keeps fresh a wide range of baked items, including croissants, muffins, bagels, cookies and more.



shelf merchandisers



Just When the Market Was Ready to Give Up . . .

When it came to merchandising hot foods, two axioms were clear.

One: Many foodservice operators would like to display and hold their sale items at optimum temperature for longer than 30 minutes.

Two: Those same operators had resigned themselves to the fact that it couldn't be done.

After all, given the challenge, some of the leading names in foodwarming equipment just couldn't pull off the design solution.

Then along came Nemco, developing a genuinely new achievement in extended food warming, while also providing a clean and simply attractive design worthy of every kind of application from c-stores to high-end caterers.

Model 6480-36S



Shelf Merchandisers

Finally! A food-merchandising solution that can really showcase hot foods by holding them at optimum temperatures for hours. Each shelf has its own top and bottom heating with independent thermostats to accommodate variable temperature settings. Features also include a lighted merchandising area, glass sides, adjustable divider rods for easy organization of food product, and an overall stainless-steel construction as part of Nemco's trademark commercial-grade durability design. Powder coating is also available. Plus, ask about custom graphic signage too!

Model # Horizontal, D	Description	Size (WxDxH)	Volts	Watts	Amps
6480-18	18" Stainless	18"x 19 ¹ / ₂ "x 21 ⁷ / ₈ "	120	860	7.2
6480-18-B	18" Black	18"x 19 ¹ / ₂ "x 21 ⁷ / ₈ "	120	860	7.2
6480-24	24" Stainless	24"x 191/2"x 24"	120	1160	9.7
6480-24-B	24" Black	24"x 191/2"x 24"	120	1160	9.7
6480-30	30" Stainless	30"x 19 ¹ / ₂ "x 24"	120	1460	12.2
6480-30-B	30" Black	30"x 19 ¹ / ₂ "x 24"	120	1460	12.2
6480-36	36" Stainless	36"x 19 ¹ / ₂ "x 24"	120	1800	15.0
6480-36-B	36" Black	36"x 19 ¹ / ₂ "x 24"	120	1800	15.0
Slanted, Dua	I Shelves				
6480-18S	18" Stainless	18"x 193/4"x 253/8"	120	860	7.2
6480-18S-B	18" Black	18"x 193/4"x 253/8"	120	860	7.2
6480-24S	24" Stainless	24"x 193/4"x 271/2"	120	1160	9.7
6480-24S-B	24" Black	24"x 193/4"x 271/2"	120	1160	9.7
6480-30S	30" Stainless	30"x 19 ³ / ₄ "x 27 ¹ / ₂ "	120	1460	12.2
6480-30S-B	30" Black	30"x 19 ³ / ₄ "x 27 ¹ / ₂ "	120	1460	12.2
6480-36S	36" Stainless	36"x 19 ³ / ₄ "x 27 ¹ / ₂ "	120	1800	15.0
6480-36S-B	36" Black	36"x 193/4"x 271/2"	120	1800	15.0

Looking for other sizes, configurations or colors? Call Nemco for details.

Optional Accessories

Sign Kits—includes header, header bracket, menu cards and menu holder for each shelf.

Description
Dual Shelf Merchandiser Sign Kit- 18"
Dual Shelf Merchandiser Sign Kit– 24"
Dual Shelf Merchandiser Sign Kit– 30"
Dual Shelf Merchandiser Sign Kit– 36"

suggested uses

Extremely versatile, the holding capability is perfect for virtually any hot-selling foods you need to merchandise for extended periods of time, while the design fits perfectly in all sorts of high-volume venues, from commissaries and c-stores, to chains and even upscale caterers.



Model 6480-18\$-B



heat shelves



Anything But "Off the Shelf"

Fresh off the success of developing a better way to hold foods for an unprecedented length of time on a shelf merchandiser, Nemco immediately recognized another related market need, and an opportunity to apply the same heating technology with astounding results.

"What if we applied a little merchandising magic to a shelf warmer and made it versatile enough for the front of the house?" Well . . .

Introducing a solution with a rightful place in nearly every kind of foodservice operation. Introducing a shelf unit robust enough for the kitchen, dynamic enough for pass-through applications and, now, with a few subtle refinements—including rounded corners, variable temperature settings and powder-coated sides, standard—attractive enough for the front of the house too.

67

Heat Shelves

Operators now have a smart, extremely versatile solution for keeping ready-to-serve foods at their warm, appetizing best. Nemco's electric heat shelf is perfect for the kitchen, the pass-through station or, with its special design features, the front of the house too. The unique heating elements minimize temperature drops across the surface, for reliable, uniform holding, and the capability to heat up to 220°F. Includes all stainless-steel construction, an ergonomic control dial and rounded corners for a contemporary look. Plus, it's available with black powder-coated sides—standard!

Model #	Description	Size (WxDxH)	Volts	Watts	Amps
6301-18	18" black	18"x 20"x 3"	120	250	2.1
6301-18-SS	18" stainless	18"x 20"x 3"	120	250	2.1
6301-24	24" black	24"x 20"x 3"	120	350	2.9
6301-24-SS	24" stainless	24"x 20"x 3"	120	350	2.9
6301-30	30" black	30"x 20"x 3"	120	425	3.5
6301-30-SS	30" stainless	30"x 20"x 3"	120	425	3.5
6301-36	36" black	36"x 20"x 3"	120	500	4.2
6301-36-SS	36" stainless	36"x 20"x 3"	120	500	4.2
6301-48	48" black	48"x 20"x 7"	120	700	5.8
6301-48-SS	48" stainless	48"x 20"x 7"	120	700	5.8
6301-60	60" black	60"x 20"x 7"	120	850	7.1
6301-60-SS	60" stainless	60"x 20"x 7"	120	850	7.1
6301-72	72" black	72"x 20"x 7"	120	1,000	8.3
6301-72-SS	72" stainless	72"x 20"x 7"	120	1,000	8.3

^{*} Note: 18" through 36" models will be supplied with 1/2" feet; 48" through 72" models will be supplied with 4" legs to meet NSF Standard 4.

suggested uses

The versatility of Nemco's heat shelf makes it useful for all sorts of applications, including kitchen wait stations, pass-through areas, serving lines, buffets and more. It can find a place in the back or front of the house, and is especially useful where overhead radiant warmers are not available or not quite enough to achieve those slightly higher temperatures or longer hold times. Use the heat shelf to hold plated foods or boxed to-go orders. Or hold a serving pan on its stainless-steel surface and maximize the power of conduction heat.





merchandisers display cases & soup stations



Heated Display Cases

Stainless-steel construction and sliding tempered-glass doors provide a neat appearance and long life. Three removable shelves enhance presentation. Pullout crumb tray makes cleanup a snap. Thermostat control up to 200°F. Available options: two 40-watt bulbs for product illumination and a water reservoir for humidity control.

Model#	Description	Size (WxDxH)	Volts	Watts
6460	Heated Display Case w/Light, Water Reservoir,			
	3 Removable Shelves	28 ¹ / ₄ "x 13 ¹ / ₈ "x 24"	120	780
6461	Heated Display Case			
	w/ 3 Removable Shelves	28 ¹ / ₄ "x 13 ¹ / ₈ "x 24"	120	700
6454	Heated Case w/3- 15" Square			
	Angled Shelves	18 ¹ / ₂ "x 18 ¹ / ₂ "x 33 ⁷ / ₈ "	120	1480
6454-2	Heated Self-Serve Case w/3- 15" Square			
	Angled Shelves	18 ¹ / ₂ "x 18 ¹ / ₂ "x 33 ⁷ / ₈ "	120	1480
6455	Heated Case w/3- 19" Square			
	Angled Shelves	22 ¹ / ₄ "x 22 ¹ / ₄ "x 33 ⁷ / ₈ "	120	1480
6455-2	Heated Self-Serve Case			
	w/3- 19" Square Angled Shelves	22 ¹ / ₄ "x 22 ¹ / ₄ "x 33 ⁷ / ₈ "	120	1480

Optional Accessories

Model # Description

66785 Set of Four 4" Stainless Steel, Adjustable Legs

Popcorn Poppers

The innovative heated deck keeps popcorn irresistibly warm and crisp. The stainless-steel kettle features an underside aluminum dissipater plate that distributes heat for even popping. Plus, the kettle removes in a snap for easy cleaning of both the kettle and the cabinet interior.

Model#	Description	Size $(W \times D \times H)$	Volts	Watts	Amps
6440	8 oz. Popper	$19^{1}/_{2}$ " x $14^{1}/_{2}$ " x $30^{1}/_{2}$ "	120	1190	9.9
6445	12 oz. Popper	17 ¹ / ₂ "x 24"x 35 ¹ / ₂ "	120	1680	14.0

Contemporary and stylish merchandiser signage increases traffic and impulse sales!

cafeteria-style lines

where presentation

provides added

suggested uses

Tasty, tempting popcorn adds excitement wherever people shop. Perfect for video stores, convenience stores, groceries and concession stands.





Model 6510A-2D4



Model 6510A-2D7



Model 6510A-S7



Model 6510-T4

Soup Merchandisers

Turn your customers on to the idea of a hearty bowl of soup with these inviting soup-warmer merchandisers, each adorned with a classic-looking "Soup for all Seasons" graphic. A unique heating-element design maintains an even holding temperature and prevents hot spots. Twin warmers have separate thermostats for better temperature control. Plus, the header comes with interchangeable tab cards bearing the names of nearly 50 popular soups.

Model #	Description	Size (WxDxH)	Volts	Watts
6510A-2D4	4 Quart, Twin Well Double Thermostat w/Header	20 ¹ /2"x 10 ¹ /2"x 20 ¹ /2"	120	1000
6510A-2D4P	4 Quart, Twin Well Double Thermostat, No Header	18 ⁵ /8"x 10 ³ /8"x 9 ⁷ /8"	120	1000
6510A-2D7	7 Quart, Twin Well Double Thermostat w/Header	24¹/2″x 13³/8″x 21⁵/8″	120	1100
6510A-2D7P	7 Quart, Twin Well Double Thermostat, No Header	24¹/₂″x 12″x 11³/₄″	120	1100
6510A-S7	7 Quart, Single Well Single Thermostat w/Header	13"x 12³/₅"x 21⁵/₅"	120	550
6510A-S7P	7 Quart, Single Well Single Thermostat, No Header	11 ⁷ /8"x 12 ³ /8"x 11 ⁵ /8"	120	550
6510-T4	4 Quart, Triple Well Single Thermostat w/Head and Adaptor Plate	ler 25¹/8"x 16"x 20¹/4"	120	1500
6510-T4P	4 Quart, Triple Well Single Thermostat, No Hea w/Adaptor Plate	ader, 25¹/8″x 14⁵/8″x 11″	120	1500
6510-D7	7 Quart, Twin Well Single Thermostat w/Head and Adaptor Plate	ler 25¹/8″x 16″x 20¹/4″	120	1500
6510-D7P	7 Quart, Twin Well Single Thermostat, No Hea w/Adaptor Plates	ader, 25 ¹ /8"x 14 ⁵ /8"x 11"	120	1500

Optional Accessories

Model #	Description	Fits Models
68393-4	4 Quart Inset, Hinged Cover and Ladle	6510A-2D4, 6510A-2D4P, 6510-T4, 6510-T4P
68393-7	7 Quart Inset, Hinged Cover and Ladle	6510A-2D7, 6510A-2D7P, 6510A-S7, 6510A-S7P, 6510-D7, 6510-D7P

Custom graphics are available. Call the Nemco factory for information.

All Nemco cooker & warmers are listed NSF/ANSI Standard 4, making them certified "rethermalization equipment."

CONVEYOR TOASTERS

conveyor toasters



Let's Propose a Toast!

Nothing claims to have a rightful place on the countertop more than the beloved toaster.

So, when the market all but shouted for a high-performing, user-friendly unit that is capable of delivering a better product, naturally the market looked to the countertop equipment sages at Nemco.

The result is a line of commercialgrade show stealers that feature more toasting uniformity and a form & function that is perfectly suited for virtually any setting, from the fast-paced kitchen to the busiest serving lines.



Conveyor Toasters

NEW!

Nothing promises better toasting perfection, with less maintenance hassle, than the Nemco Conveyor Toaster—featuring a smart, simple design that delivers outstanding performance, with no wasted energy. Nemco's proprietary element pattern provides consistent toasting, left to right, across the entire conveyor, while the four-position rotary switch—with optional one- or two-side toasting—includes a 'stand-by' mode that conserves energy by running the topside element at a low temperature when the unit sits idle. A black powder-coat top and stainless-steel body, with heat-releasing louvers that keep it cool to the touch, make it a great model for front-of-the-house operations with self-serve lines. For 300-piece/hour capacity, choose model 6800. Or, for a higher volume 1,000 pieces/hour, go with model 6805.

Model #	Description	Size (WxDxH)	Volts	Watts
6800	2-Slice Toaster	14"x 18"x 15"	120	1660
6805	3-Slice Toaster	19"x 18"x 15"	220	3600

suggested uses

Works in tough back-of-the-house applications, but has the finesse to hold its appeal in self-serve lines too. Great for toasting bread, bagels, English muffins, premade waffles and other items commonly dropped in a toaster at home.











bakers waffles & cones

Waffle Bakers

Nemco Waffle Bakers are so easy to use, they're perfect for self-serve buffet lines. Simply fill and close the grid, then push the timer. Topmounted digital controls maintain ideal baking temperature. Sensors ensure uniform baking on both sides. LED readout counts down baking time (typically only 3½ minutes!) and the bell signals when done. Floating hinges allow top grid to rise as waffle bakes to perfection. Interlocking grids reduce batter overflow. Coiled, spring-type handles never get hot. Bake up to 20 seven-inch-diameter waffles per hour, per grid. Easy-to-clean SilverStone® grids available.

Standard Waffle Bakers

Otaliaala 11	unio Bultoro				
Model #	Description	Size (WxDxH)	Volts	Watts	Amps
7000A	Single	10" x 18 ³ / ₈ " x 8 ¹ / ₈ "	120	890	7.4
7000A-S	Single w/SS*	10" x 18 ³ / ₈ " x 8 ¹ / ₈ "	120	890	7.4
7000A-240	Single	10" x 18 ³ / ₈ " x 8 ¹ / ₈ "	240	890	3.7
7000A-S240	Single w/SS*	10" x 18 ³ / ₈ " x 8 ¹ / ₈ "	240	890	3.7
7000A-2	Dual	$19^{1/2}$ " x $18^{3}/8$ " x $8^{1}/8$ "	120	1780	14.8
7000A-2S	Dual w/SS*	$19^{1/2}$ " x $18^{3}/8$ " x $8^{1}/8$ "	120	1780	14.8
7000A-2240	Dual	$19^{1/2}$ " x $18^{3}/8$ " x $8^{1}/8$ "	240	1780	7.4
7000A-2S240	Dual w/SS*	$19^{1}/2^{\prime\prime} \times 18^{3}/8^{\prime\prime} \times 8^{1}/8^{\prime\prime}$	240	1780	7.4

Height with handle up 171/8"

*SS = SilverStone

Belgian Waffle Bakers

Choose a model with a removable grid for super-easy cleaning or stay with the more economical fixed grid.

Model #	Description	Size (WxDxH)	Volts	Watts	Amps
7020A	Removable	10" x 18 ³ / ₄ "x 10 ⁵ / ₈ "	120	980	8.2
7020A-1	Fixed	10" x 18 ³ / ₄ "x 10 ⁵ / ₈ "	120	980	8.2
7020A-S	Removable w/SS*	10" x 18 ³ / ₄ "x 10 ⁵ / ₈ "	120	980	8.2
7020A-1S	Fixed w/SS*	10" x 18 ³ / ₄ "x 10 ⁵ / ₈ "	120	980	8.2
7020A-1AS	Auto-Start,				
	Fixed w/SS	$11^{1}/_{2}$ " x $19^{1}/_{2}$ " x $10^{3}/_{4}$ "	120	890	7.5
7020A-208	Removable	10" x 18 ³ / ₄ "x 10 ⁵ / ₈ "	208	980	4.7
7020A-S208	Removable w/SS*	10" x 18 ³ / ₄ "x 10 ⁵ / ₈ "	208	980	4.7
7020A-1208	Fixed	10" x 18 ³ / ₄ "x 10 ⁵ / ₈ "	208	980	4.7
7020A-1S208	Fixed w/SS*	10" x 18 ³ / ₄ "x 10 ⁵ / ₈ "	208	980	4.7
7020A-240	Removable	10" x 18 ³ / ₄ "x 10 ⁵ / ₈ "	240	980	4.1
7020A-S240	Removable w/SS*	10" x 18 ³ / ₄ "x 10 ⁵ / ₈ "	240	980	4.1

Height with handle up 21"

*SS = SilverStone

Model 7000A-2 & 7000A-S



Model 7020A


suggested uses

Designed to fit flush against the wall, Nemco Waffle Bakers are great for front-of-the-house setups. Popular for breakfast, brunch, lunch and all times in between, waffles are ideal for creating new signature items. Top with fruit, dairy specialties, dessert sauces and more.



Model # Description
77241 Drip Tray, Stainless Steel

77391 Drip Tray, Polycarbonate



NEW! Self-Serve Made Super-Easy!

Less labor for you means more money for you.
Pair up the NEW Batter
Dispenser with the NEW auto-start Belgian Waffle
Baker (model 7020A-1AS on p. 76) and let your customers enjoy preparing their own fresh-baked waffles!









suggested uses

Great for ice cream shops, kiosks, delis or concession stands—especially those that see heavy traffic. Also great for foodcourt operations that use scoops to serve potato, macaroni and other cold salads and slaws.

Batter Dispenser



Take your breakfast buffet line to another level with Nemco's super easy-to-use batter dispenser that simplifies self-serve waffle making. A soda-machine-style valve dispenser features a smooth flow for convenience and a reliable seal to minimize mess. The stainless-steel construction adds durability, while the faceplate graphics apply an attractive visual accent.

Model #	Description	Size (WxDxH)
7050	Batter Dispenser	12" x 12" x 18 ¹ / ₄ "

Cone Bakers

For fast, convenient, precision baking of waffle cones. Preheats in just 12 minutes and produces up to 60 cones per hour, per grid. Heavy-duty, lockdown, fixed, seven-inch aluminum grids provide uniform thickness, while flat-ring heating elements bake to a taste-tempting, overall golden brown. Easy-to-read LED display counts down baking time. Audible alarm signals the minute baking is complete. Coiled, spring-type handle remains cool for fast, easy handling.

Model #	Description	Size (WxDxH)	Volts	Watts	Amps
7030A	Single	10" x 19 ³ / ₄ " x 8 ¹ / ₈ "	120	890	7.4
7030A-240	Single	10" x 19 ³ / ₄ " x 8 ¹ / ₈ "	240	890	3.7
7030A-2	Dual	$19^{1}/_{2}$ " x $19^{3}/_{4}$ " x $8^{1}/_{8}$ "	120	1780	14.8
7030A-2240	Dual	$19^{1}/_{2}$ " x $19^{3}/_{4}$ " x $8^{1}/_{8}$ "	240	1780	7.4

Height with handle up 17¹/₂"

Optional Accessories

Model # Description

77005 Cone Form Roller. Makes 7" Finished Cones

77006 Walking Sundae Mold

Ice Cream Spade Well

Features a continuous flow of water to maintain optimum cleanliness of your ice cream spades and scoops for better food quality. No more flavor transfer and no more cross-contamination that increases your food-safety risks. Wells are available in a variety of sizes—each one designed with wide compartments that allow for easy access to and removal of the spades during rush times. Versatile mounting capabilities and optional left- or right-side spigot orientation adapt to your kitchen. Units are easy to turn off, drain and disassemble for cleaning, and they all meet NSF approval.

Model #	Description	Size (WxDxH)
77316-7	Spade Well	$7'' \times 6^{1}/4'' \times 5^{7}/8''$
77316-10	Spade Well	$10^3/8" \times 6^1/2" \times 5$
77316-13	Spade Well	12 ³ / ₄ " x 6 ³ / ₄ " x 5
77316-19	Spade Well	20 ⁵ /8" x 6 ¹ /8" x 7 ³
77350	Spade Well,10" Divider	
77353	Spade Well, 13" Divider	2
77324	Spade Well, 19" Divider	
77358*	Spade Well, Installation Ki	t have the

*Not included with Spade Well.



The floor is yours.

Because your next great investment in the profitable world of food sales will fit right on your countertop.

You name it— pizza, pasta, shrimp, and more, baked, boiled or just perfectly rethermalized. Only Nemco could give even the smallest kitchen the power to offer a full menu . . . along with the equipment speed, convenience and long-term lifetime dependability that translates into incredible value.



countertop ovens & boiling unit

Countertop Warming & Baking Oven

Now you can have a fully functional, multipurpose oven, right on your countertop to bring more, big-menu variety to even the smallest kitchen. Just plug into a standard outlet, and add more baking capacity to your operation instantly. Takes minimal counterspace with no ventilation required. Thermostatic control to 700°F with independent on-off switches for upper and lower heating elements. Sixty-minute timer. Comes with two 15½-inch by 14½-inch wire shelves; holds up to four.

Model #	Description	Size (WxDxH)	Volts	Watts	Amps
6200	Warming and Baking Oven	19¹/2" x 22" x 23¾"	120	1500	12.5

Countertop Ovens

Smaller, lower-volume foodservice operations, such as kiosks, bowling alleys and taverns, can bake virtually anything in this compact, low-profile single-rack countertop oven. Choose from two stainless-steel models with 13¹/₂-inch by 13⁵/₃-inch wire racks (fits 12" pizza), 15-minute timer, and upper and lower heating elements. Model 6210 features independent on-off switches for upper and lower heating elements, thermostatic control to 700°F and a 60-minute bell timer. Model 6215 features a 450°F preset thermostat and 15-minute timer switch. Both have a crumb tray for easy cleaning.

Model #	Description	Size (WxDxH)	Volts	Watts	Amps
6210	All-Purpose Oven	21 ¹ / ₄ " x 21 ¹ / ₂ " x 8 ⁷ / ₈ "	120	1500	12.5
6215	Pizza Oven	19 ¹ / ₈ " x 20 ¹ / ₂ " x 7 ⁷ / ₈ "	120	1450	12.1



Model 6200



suggested uses

Nemco's ovens are ideal for reheating foods in snack bars, taverns, concession stands and other retail operations. They're perfect for reheating pizza, cookies, pastries, rolls, fresh breads, pies, toasted sandwiches and all sorts of other precooked items.







Model 6205

suggested uses

Nemco countertop baking and pizza ovens are great for rethermalizing and baking foods in snack bars, taverns and concession stands.

Countertop Pizza Ovens

Get the incredible bake of an authentic deck-oven pizza in this unique countertop model. Each is equipped with a genuine baking stone for that killer pizza taste. Model 6205-240 bakes fast and recovers quickly. Two removable 19-inch stone decks and heavy-duty metal-sheath elements distribute heat evenly. The reflective stainless-steel surface ensures even baking under the top deck. Temperature range of 300°–700°F. Six-foot cord comes from the right bottom rear.

(Must use a pan or screen with frozen foods.)

Model #	Description	Size (WxDxH)	Volts	Watts	Amps
6205	Square Deck	25 ¹ / ₄ " x 26" x 22"	120	1800	15.0
6205-240	Square Deck	25 ¹ / ₄ " x 26" x 22"	240	5400	22.5

Optional Accessories

Model #	Description
---------	-------------

66785 Set of 4 Stainless Steel Legs, Adjustable

66795 Baking Stone



Model 6750-240

suggested uses

Use for all types of pasta, vegetables, dumplings, shellfish and more. Also great for reconstituting food and reheating frozen items.

Countertop Boiling Unit

Preheats in twelve minutes, and recovers fast. Features stainless-steel construction and heavy-duty baskets with insulated handles. Twin baskets designed to hold everything from spaghetti noodles to lasagna noodles. Removable control-panel assembly for easy cleaning. Convenient front-draining system with safety lock.

Model #	Description	Size (WxDxH)	Volts	Watts	Amps
6750-240	Single Tank, 2 Twin Baskets.				
	2.5 Gallon Capacity	12"x 24"x 20"	240	6000	25.0

Optional Accessories

Model # Description

66785 Set of 4 Stainless Steel, Adjustable Legs

66787 Set of Six 4"x 4"x 4" Baskets

Optional Baskets

Accessory basket set lets you cook and drain 6 individual servings separately.



THE DIFFERENCE IS IN THE DESIGN

BusBoy by Nemco® Commercial Food Waste Disposer Systems

Works as Tough as It Looks

BusBoy food-waste disposers are built tough to work hard and work long in the toughest foodservice environments. That means dependability.

BusBoy horsepower has proven its strength in commercial kitchens around the world. Sealed shafts prevent motor damage, and noncorrosive parts virtually eliminate the chance of a sudden breakdown. Oversized grinding tables improve speed and reduce motor strain for faster, more efficient grinding. Cast chrome alloys provide maximum grinding performance.

A Wide Range of Models Handles Every Food Waste Need

- Medium-to-large operations with heavy food-waste requirements
- Small operations or single-use kitchen stations
- Supermarkets or other sites with large, bulky waste
- Pot and pan sinks, salad and vegetable preparation tables
- Dishwashing stations

For your convenience, Nemco offers a full line of adapter kits and mounting assemblies to help you convert any competitive commercial disposer into a dependable BusBoy quickly and easily.



MODEL NUMBER INDEX

Model # Page	Model # Page	Model # Page	Model # Page
428-413, 17	6008-4 46 (ISF)	6150-36-D-208 . 48 🕪 👊	6151-24-240 49 🕦 📵
428-613, 17	6008-5 46 (ISE)	6150-36-D-240 . 48 🕪 👊	6151-24-CP 49 (NSF) (10)
428-813, 17	6008-6 46 (ISF)	6150-36-DL 49 🕪 👊	6151-24-D 50 🕪 🐠
428-1017	6008-7 46 (ISE)	6150-36-DL-208 49 🕪 🙉	6151-24-D-208 . 50 🕦 🐠
436-1	6008-8 46 (ISE)	6150-36-DL-240 49 🕸 🐠.	6151-24-D-240 . 50 🕸 🐠
436-2	6009-2 46 (ISE) (ID)	6150-36-SL 49 🕦 👊	6151-36 49 🕸 👊 .
436-3	6009-3 46 🕪 🛍 -	6150-36-SL-208 49 🕪 📵	6151-36-208 49 া 🕮 🕮
436-49	6009-4 46 (ISF) (ID)	6150-36-SL-240 49 🕪 🖚	6151-36-240 49 🕸 🐠
466-17	6009-5 46 🕪 🕪	6150-48 48 🕪 🖚.	6151-36-CP 49 🕸 📵
466-27	6009-6 46 🕪 🛍 -	6150-48-208 48 🕪 🙉	6151-36-D 50 🕦 🐠
466-37	601547 (ISF	6150-48-240 48 (NSF) (M)	6151-36-D-208 . 50 🕦 👊
466-77	6015-DP 47 (ISF	6150-48-CP 48 (NSF) (M).	6151-36-D-240 . 50 🕬 🐠 .
490-817	6016 47 (ISF	6150-48-D-20848 (NSF) (M)	6151-48 49 👀 📵
536-1	6016-C 47 (ISF)	6150-48-D-24048 (NSF) (M)	6151-48-208 49 🕪 🐠
536-1T13	6055A52 ^{((§)} .((€)	6150-48-DL-208 49 (NSF) (M).	6151-48-240 49 🕦 👊
536-2 9, 13	6055A-43 52 🕸 🛍 -	6150-48-DL-240 49 (NSF) (M).	6151-48-CP 49 🕦 📵.
536-3 9, 13	6055A-CW 52 🞯 🐠	6150-48-SL 49 🕪 🖫	6151-48-D-208 . 50 🕪 🛍
536-49	6060A 54 🕸 🕦	6150-48-SL-208 49 👀 👊	6151-48-D-240 . 50 🕪 🛍
566-17	6100A 53 🕸 📵 -	6150-48-SL-240 49 🕪 🕼	6151-60 49 🕪 📵
566-27	6101A 53 🕸 🖚	6150-60 48 🕸 🕮	6151-60-208 49 🕸 📵
566-37	6102A 53 🕸 🐠	6150-60-208 48 🕸 👊	6151-60-240 49 🕸 📵
6000A-1 46 🕦 👊	6103A 53 🕸 📵 -	6150-60-240 48 🕸 🐠	6151-60-CP 49 🕸 📵
6000A-1A 46 🕸 📵 .	6110A53 🕸 🖚	6150-60-CP 48 🕸 🕮	6151-60-D-208 . 50 🕸 📵
6000A-2 46 🕸 🚇	6120A 53 🕸 🐠	6150-60-D-20848 🕸 👊	6151-60-D-240 . 50 🕸 📵
6000A-2B 46 🕸 📵	6120A-CW 53 🕸 📵 -	6150-60-D-240 48 🕸 👊 .	6151-72 49 🕪 📵
6000A-2C 46 🕸 📵	6150-24 48 🕸 📵	6150-60-DL-208 49 🐠 👊	6151-72-208 49 🕸 🐠 .
6000A-2TP 46 🕸 🕮	6150-24-208 48 🕸 🐠	6150-60-DL-240 49 🐠 👊.	6151-72-240 49 🕪 🐠 .
6000A-3 46 🕸 🛍	6150-24-240 48 🕸 🕪	6150-60-SL 49 🐠 👊 .	6151-72-CP 49 🕸 🕮
600246 (NSF)	6150-24-CP 48 🕸 📵	6150-60-SL-208 49 🐠 👊	6151-72-D-208 . 50 🕸 🛍 .
600346 (NSF)	6150-24-D 48 🕸 📵 .	6150-60-SL-240 49 🖦 🖚.	6151-72-D-240 . 50 🕸 📵 .
6004-1 46 (NSE)	6150-24-D-208 . 48 🕸 🕪	6150-72 48 🖦 👊 .	6152-24 51 🕪 🕮
6004-2 46 (NSE)	6150-24-D-240 . 48 🕸 🕪	6150-72-208 48 🕸 👊	6155-24 50 🕸 🕮 .
6004-4 46 (NSF)	6150-24-DL 49 🕸 🐠	6150-72-240 48 🕦 👊	6155-24-208 50 🕸 🐠
6004-4C 46 (NSE)	6150-24-DL-208 49 🕸 🕪	6150-72-CP 48 🗐 👊	6155-24-240 50 🕸 🕮
6006-2 46 (NSF)	6150-24-DL-240 49 🕪 🕪	6150-72-D-20848 🐠 👊	6155-24-D 50 🕸 🕮
6006-3 46 (NSF)	6150-24-SL 49 🕸 🐠	6150-72-D-24048 🕸 👊	6155-24-D-208 . 50 🕬 👊 .
6006-4 46 (NSF)	6150-24-SL-208 49 🕸 📵 .	6150-72-DL-208 49 🐠 👊	6155-24-D-240 . 50 🕸 🕮
6006-5 46 (NSF)	6150-24-SL-240 49 🕪 🕪	6150-72-DL-240 49 🐠 👊	6155-24-DL 51 🕸 👊 -
6006-646 (NSF)	6150-36 48 🕸 🕮	6150-72-SL 49 🞯 🐠	6155-24-DL-208 51 🕸 📵
6006-7 46 (NSF)	6150-36-208 48 🕸 🐠	6150-72-SL-208 49 🕸 🐠	6155-24-DL-240 51 🕸 📵
6006-8 46 (NSF)	6150-36-240 48 🕪 🕮	6150-72-SL-240 49 🞯 🐠	6155-24-SL 51 🕸 🐠 .
6008-2 46 (NSE)	6150-36-CP 48 🕸 🐠	6151-24 49 🕸 📵 .	6155-24-SL-208 51 🕸 📵
6008-3 46 (NSF)	6150-36-D 48 🕸 🐠	6151-24-208 49 🕸 🐠	6155-24-SL-240 51 🕸 📵

MODEL NUMBER INDEX

Model # Page	Model # Page	Model # Page	Model# Page
		· ·	7000A-2240 76 ®
6155-36 50 ® ®	620581 ® ®	6454-2 68 ® ®	
6155-36-208 50 ® ®	6205-240 81 🐨 📵	6455 68 🕸 🕦	7000A-2S 76 (SF) (T)
6155-36-240 50 (18) (18)	621080 ® ®	6455-2 68 🕸 🕦	7000A-2S240 76 ® ®
6155-36-D 50 ® ®	621580 ® ®	645763 ® ®	7000A-S 76 ® ®
6155-36-D-208 . 50 🐨 🖚	6301-18 67 🕸 📵	646068 🕸 🕦	7000A-S240 76 ® ®
6155-36-D-240 . 50 🐿 👊	6301-18-SS 67 🕸 🛈	646168 🕸 🕦	7020A 76 (185) (III).
6155-36-DL 51 📾 👊	6301-24 67 🕸 🛈	6475 63	7020A-1 76 (NSF) (M).
6155-36-DL-208 51 🖲 👊	6301-24-SS 67 🕸 🛈	6480-18 65 🕪 🛍	7020A-208 76 🕸 👊
6155-36-DL-240 51 🐿 👊	6301-30 67 🕸 🖤	6480-18-B 65 🕸 🐠	7020A-240 76 🕸 👊
6155-36-SL 51 🕸 👊	6301-30-SS 67 🕸 🛈	6480-18S 65 🕸 📵 .	7020A-1208 76 🕸 👊
6155-36-SL-208 51 🕸 👊	6301-36 67 🕸 🛈	6480-18S-B 65 🕸 📵 .	7020A-1S 76 🕪 👊
6155-36-SL-240 51 🕸 🕮	6301-36-SS 67 🕸 📵	6480-24 65 🕸 🕮	7020A-1S208 76 🕸 👊
6155-48 50 🕪 🕦.	6301-48 67 🕸 🛈	6480-24-B 65 🕸 🐠	7020A-1AS 76
6155-48-208 50 🕸 👊	6301-48-SS 67 🕸 📵	6480-24S 65 🕸 🐠 -	7020A-S 76 🖦 👊 .
6155-48-240 50 🕸 🚇	6301-60 67 🕸 📵	6480-24S-B 65 🕸 🐠	7020A-S208 76 🕪 🐠.
6155-48-D-20850 🕸 🐠	6301-60-SS 67 🕸 🛈	6480-30 65 🕪 🛍 -	7020A-S240 76 🕪 🐠
6155-48-D-24050 🕸 🐠.	6301-72 67 🕸 🛈	6480-30-B 65 🕪 🕪	7030A 77 🝽 👊.
6155-48-DL-208 51 🕸 🚇	6301-72-SS 67 🕸 📵	6480-30S 65 🕸 🐠	7030A-2 77 (NSF) (CD).
6155-48-DL-240 51 🕸 🐠	6310-155 🕸 📵	6480-30S-B 65 🕸 🐠	7030A-240 77 🕸 👊
6155-48-SL 51 🕸 🕮	6310-1-240 55 🕸 📵	6480-36 65 🕸 🖚	7030A-2240 77 🕸 👊
6155-48-SL-208 51 🕪 🕮	6310-2 55 🕸 📵	6480-36-B 65 🕸 🕪	7050 77
6155-48-SL-240 51 🕪 🕦	6310-2-240 55 🕸 📵	6480-36S 65 🕸 🐠	801031 (SF) (CD)
6155-60 50 🕪 🕦.	6310-3 55 🕸 📵	6480-36S-B 65 🕸 🐠	8010-SSG-DT38
6155-60-208 50 🕸 👊	6310-3-240 55 🕸 📵	6510A-2D4 69 🕸 🐠	8010SX31 (SF) (D)
6155-60-240 50 🕸 🐠	6311-1-240 55 🕸 📵	6510A-2D4P . 69 🕸 📵 .	801831 NSF (1)
6155-60-D-208 . 50 🕸 👊	6311-2-240 55 🕪 🛈	6510A-2D7 69 (ISF) (III) =	8018-BW 37 🕪 📵
6155-60-D-240 . 50 👀 🚇.	640361 (SF) (M).	6510A-2D7P . 69 🕸 👊	8018-CGD38
6155-60-DL-208 51 🕸 👊	642059	6510-D7 69 (ISF) (III)_	8018-SBB 37 ^(ISE)
6155-60-DL-240 51 🕸 🚇	642159	6510-D7P 69 (ISF) (III)	8018SX31 🕸 👊.
6155-60-SL 51 🕸 🚇	642259	6510A-S7 69 (ISF) (III)	8018GD 38 🕮
6155-60-SL-208 51 🕸 🐠.	6423 59	6510A-S7P 69 🕪 🐠	8024-BW 37 🕸 📵
6155-60-SL-240 51 🕸 📵.	642459	6510-T4 69 🕪	802731 🐿 📵
6155-72 50 🕸 🐠	6425 59	6510-T4P 69 🕸 🚇	8027-BW 37 🕦 .
6155-72-208 50 🕸 🐠	644068 NSF (M)	6550-DW 35 🐠	8027-CGD 38
6155-72-240 50 🕸 🐠 .	644568 NSF (M)	6600 52 @	8027-SBB 37 (NSF)
6155-72-D-208 . 50 (ISF) (III).	645061 🕸 🛈	6625A 53 📵 .	8027-SLT 33 (NSF) A(T)
6155-72-D-240 . 50 🕪 👊 .	6450-4 61 🕸 🕪	665563	8027GD 38 🕮
6155-72-DL-208 51 (SF) (M).	6451 61 🕸 🛈	6750-240 81 🕸 📵	8027SX 31 ា 🗐
6155-72-DL-240 51 🕸 👊	6451-2 61 ® ®	680073	8027SX-SLT 33 🕸 🖫 .
6155-72-SL 51 🔊 🚇	6452 61 ® ®	680573	8033-BW37
6155-72-SL-208 51 🕸 🚇.	6452-2 61 ® ®	7000A 76 🕸 🐠	8033-SBB 37
6155-72-SL-240 51 🕸 🚇.	6453 61 ® ®	7000A-2 76 (88) (10)2	8033GB38
620080 (NSF) (M)	6454	7000A-24076 ® ®	8033SX-SLT 33
	0-000 O S	7 0 0 0 1 2 TO 7 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	

Model # Page	Model # Page	Model # Page	Model # Page
803631 NSF (10).	8230SX-SLT 35 🕸 🐠.	55263-1 5	55600-1 7 (NSF)
8036-BW 37 🕸 👊.	8250GD 38 ⁽¹⁸⁵	55263-2 5	55600-2 7 (NSF)
8036-CGD 38	8250-CGD 38	5528821	55600-3 7 (NSF)
8036-SBB 37 (NSF)	8250DGD 38	55300A 21 NSF	55600-7 7 (NSF)
8036SX-SLT 33 🕸 🛍	8250-SBB 37	55300A-1 21 (NSF)	55607-6 25
8036-SLT 33 (NSF) (M)	8250-SLT 35 🕪 🐠	55300A-221 (NSF)	5564113
8036GD 38 🕮	8250SX-SLT 35 🕪 🐠.	55300A-516D. 21 (NSF)	5565015 (NSF)
8036SX 31 (NSF) (M)	8300 33 (NSF) (M)	55350A 21 (NSF)	55650-1 15 (NSF)
8045N31 (NSF) (M)	830133 🕪 🐠	55359-P3 21	55650-2 15 NSF
8045N-BW 37 🕪 🕮	8430 39 🖺	55424-1 9, 13	55650-3 15 (NSF)
8045N-CGD 38	843639 🕮	55424-2 9, 13	55650-6 15 (NSF)
8045NGD 38 🕮	8450 39 🚇	55424-3 9, 13	55650-CS 15 (NSF)
8045N-SBB 37 (NSF)	8475 39 🕮	55424-49	5570019 (NSF)
8045SXN 31 🕪 👊	5500211	55450-1 13 (NSF)	5570211
8045SXW 31 (NSF) 🕦	5500311	55450-2 13 (NSF)	55707-1-C 11
8045W31 (NSF) (100)	5501711	55450-3 13 (NSF)	55707-1-CT 11
8045W-BW 37 🕪 🕮	55022A 17	55450-4 13 (NSF)	55707-1-WCT . 11
8045W-CGD 38	55050AN 11 (NSF)	55450-6 13 (NSF)	55707-1-WR 11
8045W-SBB 37 (NSF)	55050AN-G 11 (NSF)	55450-8 13 (NSF)	55707-1-G 11
8045W-SLT 33 (NSF) 🐠	55050AN-R 11 (NSF)	5547015	55707-1-R 11
8045SXW-SLT 33 (NSF) 🕦	55050AN-WR 11 (NSF)	55470-2BR 15	5571111 (NSF)
8045WGD 38 🖺	55050AN-CT 11 (NSF)	55470-6 15	55727-4 9, 13
8048-BW 37 🕸 🕦	55050AN-WCT. 11 (NSF)	5548515	55727-6 9, 13
8050SX-RC 35 🕸 👊	55065A 17	55485-215	55727-8 9, 13
8050SX-SLT-RC . 35 (1887) . 📵	55100E 17	55485-615	5577527 (NSF)
8055-BW 37	5512517	5549115 (NSF)	55775-127 (NSF)
8055-SBB 37	551355	5549211	5580027 (NSF)
8055GD 38	55150B-C 11 🕸 🐠	55492-WR 11	558165
8055SX-SLT 33	55150B-G 11 🕸 🐠	55492-CT 11	55816-211
807531 (NSF) 📵	55150B-R 11 🕸 🐠	55492-WCT 11	5582525 (NSF)
8075-BW 37 (NSF) 🕦	55150B-WR 11 🕸 🐠	5549515	5585027 (NSF)
8075-CGD 38	55150B-CT 11 🕸 🐠	55500-19 NSF	5586823
8075GD 38 🖺	55150B-WCT 11 🕪 🐠	55500-29 NSF	55868-SC 23
8075-SBB 37 (NSF)	551785	55500-39 NSF	55868-1 23
8075SX 31 (NSF) 🕦	551795	55500-49 NSF	55868-1SC 23
8075SXW-RC 35 🕪 🕮	55200AN 5 (NSF)	5551119	55868-2 23
8075SXW-SLT-RC . 35 (NSF) . (M)	55200AN-1 5 (NSF)	5551319	55868-2SC 23
8150-RS 27	55200AN-2 5 (NSF)	5552619	55874-27
8150-RS127 (NSF)	55200AN-4 5 (NSF)	5552719	5587611
8230GD 38 (NSF)	55200AN-6 5 (NSF)	55550-4 17 🕪	55876-CT 11
8230-CGD 38	55200AN-8 5 (NSF)	55550-6 17 ^(NSE)	55876-WCT 11
8230DGD 38	55225-619	55550-8 17 (NSF)	55876-WR 11
8230-SBB 37	55250A 19 ^(NSF)	55550-10 17 (NSE)	5588215
8230-SLT 35 (NSF) (M)	552575	55550-8C 17 (NSF)	5590025 🖺

MODEL NUMBER INDEX

Model #	Page	Model #	Page	Model #	Page
55923	. 15	56539-2	. 15	68773-30	. 65
55924	. 15	56539-3	. 15	68773-36	. 65
55925	. 25 🕮	56539-4	. 15	69007	. 51
55950	. 25	56600-1	7 NSF	69008	. 51
55957	. 25	56600-2	7 NSF	69007-2	. 51
55975-SC	. 23 NSF	56600-3	7 NSF	69008-2	. 51
55975	. 23 NSF	56727-6W	. 9	77005	. 77
55975-1	. 23 ^(NSE)	56727-8W	. 9	77006	. 77
55975-1SC	. 23 NSF	56750-1	. 15 (NSF)	77241	. 76
55975-2	. 23 (NSF)	56750-2	. 15 (NSF)	77316-7	. 77 NSF
55975-2SC	. 23 ^(NSE)	56750-3	. 15 (NSF)	77316-10	. 77 NSF
55977	. 25	56750-4	. 15 (NSF)	77316-13	. 77 NSF
55991	. 25	66088-2	. 53	77316-19	. 77 NSF
56004	. 25	66088-8	. 53	77324	. 77
56022A	. 23	66088-10	. 53	77350	. 77
56029	. 23	66089	46, 51	77353	. 77
56050-1	. 23 (NSF)	66091	46, 51	77358	. 77
56050-2	. 23 NSF	66092	. 52	77391	. 76
56050-3	. 23 NSF	66093	. 52	80435-27	. 31
56424-1	.9	66095	. 52	80435-36	. 31
56424-1T	. 13	66096	. 52	80435-45N	. 31
56424A-1MK.	. 13	66097	. 52	80435-45W	. 31
56424-2	. 9, 13	66099	. 51	80435-75	. 31
56424A-2MK.	. 13	66103	.46	80440-30	. 31
56424-3	. 9, 13	66104	. 46	80440-50	. 31
56424A-3MK.	. 13	66118	.46	80650	. 33
56424-4	. 9	66785	. 54, 61, 68,	88100-CB-1	. 39
56424-5	. 9	81		88100-CB-2	. 39
56424-6	. 9	66787	. 71	88100-CB-3	. 39
56424-7	. 9	66795	. 81	88101-CB-1	. 39
56450A-1	. 13 NSF	67339	. 54	88101-CB-2	. 39
56450A-2	. 13 NSF	67409	. 54	88101-CB-2P.	. 39
56450A-3	. 13 NSF	67410	. 54	88250-CB	. 39
56455-1	. 13 NSF	67411	. 54	88400-CD	. 43
56455-2	. 13 NSF	67412	. 54	88400-CDA	. 43
56455-3	. 13 NSE	67413	. 54	88400-CDH	. 43
56500-1	. 9 NSF	67763	. 52	88400-CDV	. 43
56500-2	. 9 NSF)	67860	. 52	88500-CO1	. 43
56500-3	. 9 NSF	68393-4	. 69	88500-CO2	. 42
56500-4	. 9 NSF	68393-7	. 69	88500-CO3	. 42
56500-5	. 9 NSF	68591	. 52	88500-CO4	. 42
56500-6	. 9 NSF	68592	. 52	88500-CO5	. 42
56500-7	. 9 NSF)	68773-18	. 65	88500-CO6	. 42
56539-1	. 15	68773-24	. 65		

Are you leaving MONEY on the counter?

When you

have a signature idea that's too labor intensive,

need "ready-to-serve" to stay ready longer,

find the premium of performance more affordable than service calls,

want to squeeze every dollar out of your POS,



wish you had more kitchen space to expand your menu,

think countertop.



com NEMCO



301 Meuse Argonne Hicksville, Ohio 43526

800.782.6761 Toll-free 419.542.7751 Telephone 419.542.6690 Fax www.nemcofoodequip.com





Nemco® Food Equipment distributed by:

Nemco® BusBoy, CanPRO® Easy Apple Corer," Easy Cheese Blocker," Easy Cheeser," Easy Chicken Slicer,"
Easy Chopper," Easy Chopper II," Easy Flowering Onion," Easy FryKutter," Easy Grill Scraper," Easy Juicer,"
Easy LettuceKutter," Easy Onion Slicer II," Easy Scooper," Easy Slicer," Easy Tomato Slicer II,"
Easy Tuna Press," Easy Wedger," Gripst" Roller Grill, Monster Arimatic FryKutter," Monster FryKutter,"
ProShucker® Power Shell Separator," Ribbon Fry," ShrimpPrep RC-2001® Shrimp Cutter and Deveiner,"
ShrimpPro 2000® Power Shrimp Cutter and Deveiner," and Spiral Fry® are trademarks of Nemco Food Equipment Ltd.