



WE RAISE THE BAR. WE SET THE STANDARD.

Project \_\_\_\_\_

Item Number \_\_\_\_\_

Quantity \_\_\_\_\_

## Vacuum Packer

Full Control



## Vacuum Packer

### Models:

- ☐ VP40N12 - Full Control

## VACUUM PACKER

### Features:

- Designed with easy to use electronic control system
- Easy to clean vacuum chamber
- Thick transparent plexiglass lid for viewing
- 8 different savable settings
- Pump meter
- Oil preheat and cleaning cycle
- Oil change warning light
- 6 selectable languages
- Adjustable automatic vacuum percentage
- Automatic cover lift operated by pneumatic pistons
- AISI 304 Stainless steel construction

### Standard Accessories:

- Removable 40" Seal Bar
- Precise Angle Seal For Liquid

### Optional Features:

- Reinforced Gastronorm Containers and Lids
- Thermal label printer
- Precise Angled Seal Bar for Liquid

## Univex Corporation

### Warranty:

- One year, on site parts and labor warranty



**Univex Corporation**  
**www.Univexcorp.com**

3 Old Rockingham Rd  
Salem, NH 03079  
United States of America


TEL: 800.258.6358  
INTL TEL: 603.893.6191  
FAX: 800.356.5614  
INTL FAX: 603.893.1249



WE RAISE THE BAR. WE SET THE STANDARD.

## Vacuum Packer

**VP40N21**



### Dimensions

| A     | B   | C     | D     | E     | F     | G    | H    |
|-------|-----|-------|-------|-------|-------|------|------|
| 19.4" | 23" | 14.5" | 21.3" | 15.3" | 16.9" | 3.3" | 5.9" |

**Sealing Bar:** 16.1" (40cm)

**Chamber Dimensions:** 16.9" x 16.1" x 5.5"

**Vacuum Pump:** 21 mc/h

**Oil Tank Capacity:** 15.2 oz

**NEMA #: 5-15-P**

### Electrical Information (60Hz)

| Voltage | Phase | Amps |
|---------|-------|------|
| 115     | 1     | 11.3 |

### Shipping Information

| Net Weight         | Shipping Weight    | Freight Class | Shipping Box Dimensions                          |
|--------------------|--------------------|---------------|--------------------------------------------------|
| 147 lbs. (66.7 Kg) | 157 lbs. (71.2 Kg) | 85            | 30.3" (77cm) H x 22.4" (57cm) W x 28.3" (72cm) D |



**Univex Corporation**  
[www.Univexcorp.com](http://www.Univexcorp.com)

3 Old Rockingham Rd  
Salem, NH 03079  
United States of America

TEL: 800.258.6358  
INTL TEL: 603.893.6191  
FAX: 800.356.5614  
INTL FAX: 603.893.1249

Project \_\_\_\_\_

Item Number \_\_\_\_\_

Quantity \_\_\_\_\_

VP40N21

Full Control



## Vacuum Packer

**Model:**

➤ VP40N21 - Full Control

Vacuum Packer

### Features:

- Designed with easy to use electronic control system
- Easy to clean vacuum chamber
- Thick transparent plexiglass lid for viewing
- 8 different savable settings
- Pump meter
- Oil preheat and cleaning cycle
- Oil change warning light
- 6 selectable languages
- Adjustable automatic vacuum percentage
- Automatic cover lift operated by pneumatic pistons

### Standard Accessories:

- Removeable 40cm Seal Bar
- AISI 304 Stainless Steel Working Surface

Univex Corporation

### Optional Features:

- Reinforced Gastronorm Containers and Lids
- External Vacuum Hose (to be used with Reinforced Gastronorm Containers and Lids)
- Thermal Label Printer

### Warranty:

- One year, on-site parts and labor









WE RAISE THE BAR. WE SET THE STANDARD.

## Vacuum Packer

## VP40E21/N21

| Dimensions |     |       |       |       |       |      |      |
|------------|-----|-------|-------|-------|-------|------|------|
| A          | B   | C     | D     | E     | F     | G    | H    |
| 19.4"      | 23" | 14.5" | 21.3" | 15.3" | 16.9" | 3.3" | 5.9" |



**Chamber dimensions:** 16.9" x 16.1" x 5.5"

**Vacuum pump:** 24 mc/h

**Oil Tank Capacity:** 15.2 oz

**NEMA #: 5-15-P**

### Electrical Information (60Hz)

| Voltage | Phase | Amps |
|---------|-------|------|
| 120     | 1     | 11.3 |

### Shipping Information

| Net Weight        | Shipping Weight   | Freight Class | Shipping Box Dimensions                            |
|-------------------|-------------------|---------------|----------------------------------------------------|
| 123 lbs. (55.7Kg) | 145 lbs. (65.7Kg) | 85            | 30.3" (77cm) H x 25.4" (64.5cm) W x 29.7" (75cm) D |



**Univex Corporation**  
[www.Univexcorp.com](http://www.Univexcorp.com)

3 Old Rockingham Rd  
Salem, NH 03079  
United States of America

TEL: (800)258-6358  
INTL TEL: (603)893-6191  
FAX: (800)356-5614  
INTL FAX: (603)893-1249